

EMOTION

Price Guide 2024



Product Map

Mesa Electric Height Adjustable
Viva Electric Height Adjustable
Manually Operated Height Adjustable
Incremental Height Adjustable Tables
Fixed Height Tables
SoHo Electric Height Adjustable
NoLita Electric Height Adjustable
Controller Options
HA Support Bracket
HAT Accessories



Contents

Welcome	2
Guidance and Ordering	4
File Drawers	5
Counterweights	6
Product Safety	7
Cleaning & Maintenance	8
Standard & Custom Sizing	9
Contents	11
Product Map	12
Products	13
HAT Accessories	79

www.brc.group	CONTROLLERS	NOLITA	SOHO	VIVA FIXED HEIGHT	VIVA INCREMENTAL	VIVA MANUAL	VIVA ELECTRIC	MESA ELECTRIC	TABLE OF CONTENTS	PRODUCT MAP
---------------	-------------	--------	------	-------------------	------------------	-------------	---------------	---------------	-------------------	-------------

Thank you for choosing BRC

Established in 1979 and incorporated in 1983, BRC Group has grown into a leader in the research, development and manufacturing of high quality ergonomic office furniture. BRC is a Canadian-owned private company with modern manufacturing facilities in Georgetown, Ontario, Canada.

BRC is a forerunner in blending environmental initiatives with the manufacturing of renewable and recyclable products. BRC uses materials and manufacturing processes which virtually eliminate Volatile Organic Chemical (VOC) emissions in the office environment. Raw materials are responsibly sourced, assuring that only the best and most sustainable components are converted to finished goods. BRC is committed to developing and offering the best-value products for the middle and higher end markets.

From OEM solutions to obscure designer requests to simply striving to be better, BRC provides creative and innovative customized solutions to complement any environment and use. Flexible manufacturing offers the ability for BRC to respond to client's special needs rather than having standard catalogue solutions. A wide collection of textiles and laminate finishes allows companies and individuals to express their brand and culture through a unique signature look.

All furniture is designed and manufactured to meet or exceed ANSI-BIFMA standards. Standard construction uses a combination of 3/4" and 1" material and metal to metal commercial grade connections for solid enduring assembly. The newest edge banding technology, in which the edge tape is melted directly to the edge of the board, enables BRC to manufacture products with virtually invisible glue lines.

The BRC Team works hard to earn and keep your business - our success depends on it. If you have any questions or inquires, please contact us at info@brc.group or toll free at 1-877-260-4309.

We appreciate your business and look forward to hearing from you.

Warranty, Terms & Conditions

BRC is pleased to offer one of the most competitive warranties in the industry. All furniture products carry a 12 year limited structural warranty. BRC furniture panel and table electrical cabling carry a 3 year limited warranty. All moving user adjustable components carry a 5 year limited structural warranty. All other electrical or electronic elements of BRC furniture carry a 1 year limited warranty.

For full warranty details, terms and conditions, please visit www.brc.group/warranty

Shipping Rates & Policies

Emotion product should be assumed to ship knocked down. Assembly of the worksurface to the base frame and the frame foot to the base frame assembly will be required on Viva product. Mesa product will be shipped with the worksurface separate and be accompanied by one box for a 2 leg table, and two boxes for a 3 leg table. Assembly instructions are included in the box or available for download on our website at www.brc.group/installation

Shipping costs are calculated based on net order value and destination. In many cases, the freight cost may be included in your order. For detailed information, visit our website at www.brc.group/freight

Emotion Height Adjustable Tables

BRC's Emotion series is a tested and proven height adjustable solution both in the lab and in the field. The product has sustained over 20 years of success and during that time undergone constant refinements and improvements. Rugged construction and reliable electronic components have been tested and certified to ANSI BIFMA & CGSB standards assuring the highest quality.



A Workstation for Everyone

Stationary desks and workstations present a problem to natural instinct. The human body is designed to benefit from motion which is important for spinal health, improving circulation and reducing muscle fatigue. Height adjustable tables can encourage movement by offering the user multiple sitting and standing positions.

Another benefit is the ability for the user to adjust the desk to the optimal working height for their body both in a sitting and standing position. Even two people who are the same height may have different resting elbow positions and in turn prefer different sitting and standing heights. The benefit is that a workstation can accommodate virtually all users at a cost that is only marginally higher than a fixed height desk providing users an opportunity to break their static posture without leaving the work area.

Height adjustable tables can also provide an inclusive atmosphere for everyone. BRC's line of Mesa and Viva height adjustable electric desks provide a modesty free ADA solution that is wheelchair accessible. In addition, these product lines offer a collision free mechanism that stops table movement when resistance is encountered, preventing injury.

www.brc.group	CONTROLLERS	NOLITA	SOHO	VIVA FIXED HEIGHT	VIVA INCREMENTAL	VIVA MANUAL	VIVA ELECTRIC	MESA ELECTRIC	TABLE OF CONTENTS	PRODUCT MAP
---------------	-------------	--------	------	-------------------	------------------	-------------	---------------	---------------	-------------------	-------------

Guidance & Ordering

PRODUCT NAME & DESCRIPTION	ACTUAL SIZE IN INCHES	WEIGHT IN LBS & CUBIC FT	ALL PRICES IN LIST	PRODUCT CODE																																																																																																										
SN NO SCULPTURE SR RIGHT SCULPTURE SL LEFT SCULPTURE SD DOUBLE SCULPTURE Viva 2 Leg Electric Table MWEE <table> <tr> <th colspan="3">ACTUAL SIZE</th><th colspan="2">LAMINATE</th></tr> <tr> <th>WIDTH</th><th>DEPTH</th><th>WEIGHT/CUBE</th><th>PRICE M1</th><th>PRICE H1</th></tr> <tr><td>82"</td><td>35"</td><td>120/72</td><td>2,987</td><td>3,021</td></tr> <tr><td>82"</td><td>29"</td><td>120/72</td><td>2,646</td><td>2,680</td></tr> <tr><td>76"</td><td>29"</td><td>110/72</td><td>2,521</td><td>2,561</td></tr> <tr><td>70"</td><td>29"</td><td>110/72</td><td>2,384</td><td>2,425</td></tr> <tr><td>64"</td><td>29"</td><td>110/60</td><td>2,384</td><td>2,425</td></tr> <tr><td>58"</td><td>29"</td><td>110/60</td><td>2,2</td><td>2,344</td></tr> <tr><td>46"</td><td>29"</td><td>105/48</td><td>2,215</td><td>2,248</td></tr> <tr><td>40"</td><td>29"</td><td>95/48</td><td>2,101</td><td>2,140</td></tr> <tr><td>34"</td><td>29"</td><td>85/36</td><td>1,988</td><td>2,113</td></tr> <tr><td>28"</td><td>29"</td><td>7</td><td>2,045</td><td>2,084</td></tr> <tr><td>94"</td><td>23"</td><td>14</td><td>2,987</td><td>3,021</td></tr> <tr><td>82"</td><td>23"</td><td>12</td><td>2,533</td><td>2,567</td></tr> <tr><td>76"</td><td>23"</td><td>5/72</td><td>2,407</td><td>2,447</td></tr> <tr><td>70"</td><td>23"</td><td>115/72</td><td>2,271</td><td>2,311</td></tr> <tr><td>64"</td><td>23"</td><td>105/60</td><td>2,181</td><td>2,231</td></tr> <tr><td>58"</td><td>23"</td><td>100/48</td><td>2,101</td><td>2,135</td></tr> <tr><td>46"</td><td>23"</td><td>90/48</td><td>1,988</td><td>2,027</td></tr> <tr><td>40"</td><td>23"</td><td>80/36</td><td>1,965</td><td>1,998</td></tr> <tr><td>34"</td><td>23"</td><td>70/30</td><td>1,930</td><td>1,970</td></tr> <tr><td>28"</td><td>23"</td><td>70/30</td><td>1,920</td><td>1,959</td></tr> </table>	ACTUAL SIZE			LAMINATE		WIDTH	DEPTH	WEIGHT/CUBE	PRICE M1	PRICE H1	82"	35"	120/72	2,987	3,021	82"	29"	120/72	2,646	2,680	76"	29"	110/72	2,521	2,561	70"	29"	110/72	2,384	2,425	64"	29"	110/60	2,384	2,425	58"	29"	110/60	2,2	2,344	46"	29"	105/48	2,215	2,248	40"	29"	95/48	2,101	2,140	34"	29"	85/36	1,988	2,113	28"	29"	7	2,045	2,084	94"	23"	14	2,987	3,021	82"	23"	12	2,533	2,567	76"	23"	5/72	2,407	2,447	70"	23"	115/72	2,271	2,311	64"	23"	105/60	2,181	2,231	58"	23"	100/48	2,101	2,135	46"	23"	90/48	1,988	2,027	40"	23"	80/36	1,965	1,998	34"	23"	70/30	1,930	1,970	28"	23"	70/30	1,920	1,959
ACTUAL SIZE			LAMINATE																																																																																																											
WIDTH	DEPTH	WEIGHT/CUBE	PRICE M1	PRICE H1																																																																																																										
82"	35"	120/72	2,987	3,021																																																																																																										
82"	29"	120/72	2,646	2,680																																																																																																										
76"	29"	110/72	2,521	2,561																																																																																																										
70"	29"	110/72	2,384	2,425																																																																																																										
64"	29"	110/60	2,384	2,425																																																																																																										
58"	29"	110/60	2,2	2,344																																																																																																										
46"	29"	105/48	2,215	2,248																																																																																																										
40"	29"	95/48	2,101	2,140																																																																																																										
34"	29"	85/36	1,988	2,113																																																																																																										
28"	29"	7	2,045	2,084																																																																																																										
94"	23"	14	2,987	3,021																																																																																																										
82"	23"	12	2,533	2,567																																																																																																										
76"	23"	5/72	2,407	2,447																																																																																																										
70"	23"	115/72	2,271	2,311																																																																																																										
64"	23"	105/60	2,181	2,231																																																																																																										
58"	23"	100/48	2,101	2,135																																																																																																										
46"	23"	90/48	1,988	2,027																																																																																																										
40"	23"	80/36	1,965	1,998																																																																																																										
34"	23"	70/30	1,930	1,970																																																																																																										
28"	23"	70/30	1,920	1,959																																																																																																										

LAMINATE OPTIONS
(ACTUAL THICKNESS in/mm):

M1 - 1" THICK LPL (1.016"/25.8mm)

H1 - 1" THICK HPL (1.063"/27.0mm)

K1 - 1.25" THICK HPL KNIFE EDGE (1.339"/34mm)

HYPERLINK TO OTHER ITEMS WITHIN DOCUMENT

USE THIS EXAMPLE AS A GUIDE TO ORDER. ENTER OPTION AS REQUIRED.

DESCRIPTION OF FEATURES AND INCLUDED ITEMS

OPTIONS AND FEATURES AVAILABLE AT NO EXTRA CHARGE

OPTIONS OR FEATURES AVAILABLE BUT AT ADDITIONAL CHARGE. ADD CODE WHERE APPLICABLE AND ADDITIONAL PRICE TO TOTAL

 PRODUCT MAP TABLE OF CONTENTS MESA/ELECTRIC VIVA ELECTRIC VIVA MANUAL VIVA INCREMENTAL VIVA FIXED HEIGHT SCHO NOLITA CONTROLLERS www.bieggroup || Features & Specifications - Leg provides 1" of leveling - Laminate codes - M1: 1" LPL, H1: 1" HPL (top only) - Specify sculpture - 'SN' - none, 'SR' - right, 'SL' - left, or 'SD' - double - Woodgrain runs horizontally if applicable - Sculpture is 6" deep (eg: 23" depth is 17" at edge when sculptured) | | | | |
No Charge Options - Available in all standard laminates - Available in standard metal paint finishes - For sizes not listed, specify actual (not nominal) size in product code																									
Optional Extra - Specify GL (left), GC (center) and/or GR (right) for grommet; add \$56 per grommet - Specify LMP for laminate modesty panel; add \$126 for tables 48" wide or less and \$205 for tables over 48" wide - 6" Bow fronts for tables 58" and larger available; add BF to code and \$158																									
ORDER CODE SAMPLE	ITEM CODE	WIDTH	DEPTH	LAMINATE	SCULPTURE	OPTION		-----------	-------	-------	----------	-----------	--------		MWEE	70	23	H1	SN	LMP					

The diagram illustrates the structure of an order code. At the top, labels with arrows point to specific parts of the code: 'PRODUCT' points to the first column, 'SIZE' points to the second and third columns, 'LAMINATE OPTION' points to the fourth column, 'HANDED OPTION' points to the fifth column, and 'ADDITIONAL OPTIONS' points to the sixth column.

The order code sample is shown in a table with two rows. The first row is the header, and the second row contains the sample values. The columns are: ITEM CODE, WIDTH, DEPTH, LAMINATE, SCULPTURE, and OPTION.

ITEM CODE	WIDTH	DEPTH	LAMINATE	SCULPTURE	OPTION
MWEE	70	23	<i>H1</i>	<i>SN</i>	<i>LMP</i>

Annotations explain the formatting: 'DARKER GREY BOXES CONTAIN CODE DESCRIPTIONS' points to the header row. 'WHITE BOXES INDICATE EXTRA OPTIONS NOT MANDATORY FOR ORDERING. FOR DEFAULT OR NO OPTIONS, LEAVE BLANK' points to the 'OPTION' column. 'LIGHT GREY BOXES INDICATE MANDATORY SELECTION FOR ORDERING' points to the 'ITEM CODE', 'WIDTH', and 'DEPTH' columns. 'ITALICS INDICATE PRODUCT OPTIONS' points to the 'LAMINATE', 'SCULPTURE', and 'OPTION' columns in the sample row.



PURCHASE ORDER LINE ITEM FOR ABOVE: MWEE 70 23 H1 SN LMP

File Drawers

Load Considerations

Filing drawers can be one of the most convenient storage items in the office environment. Careful consideration must be paid to how the drawers are loaded, how much load and when to secure the cabinet to an additional support structure. File drawers must always be loaded from the bottom first. This puts the center of gravity lower and reduces the tipping hazard. Depending on application, cabinets should be secured to adjacent cabinets, a wall or another support structure for additional assurance. All drawer cabinets can be susceptible to tipping so careful planning is essential for prevention. Contact your BRC representative for more information.


Look for this warning label placed inside all file drawers manufactured by BRC




Capacity & Filing Options

BRC File drawers can accommodate letter and legal hanging file folders. Standard size file drawers in 30", 36" & 42" widths include two side to side hanging bars and two front to back hanging bars (24" wide drawers include only one of each). The side to side hanging bar can be positioned to fit letter and legal files. The front to back hanging bars can be positioned to accommodate two rows front to back of letter and legal depending on drawer width. Pedestal file drawers include one side to side hanging bar that can be positioned to accommodate letter and legal side to side. Pedestal file drawers can accommodate letter only front to back.

STANDARD SIZE FILE DRAWER CAPACITY			
NOMINAL WIDTH	INTERIOR WIDTH	INTERIOR DEPTH	MAXIMUM LOAD (LBS)*
24"	20.4"	15.14"	55
30"	26.4"	15.14"	72
36"	32.4"	15.14"	90




FILE RAILS ACCOMMODATE LEGAL SIDE TO SIDE; FILE BARS CAN BE USED TO ACCOMMODATE LETTER SIDE TO SIDE




FRONT TO BACK BARS POSITIONED TO ACCOMMODATE LETTER OR LEGAL

PEDESTAL FILE DRAWER CAPACITY			
NOMINAL WIDTH	INTERIOR WIDTH	INTERIOR DEPTH	MAXIMUM LOAD (LBS)*
15.5"	11.9"	15.14"	33



FILE RAILS ACCOMMODATE LEGAL SIDE TO SIDE; FILE BAR CAN BE USED TO ACCOMMODATE LETTER SIDE TO SIDE



FRONT TO BACK ACCOMMODATES LETTER ONLY


*Loads are expressed as weight rating for filing, not bottom loading

Product Safety

All of BRC's storage products that contain box drawers and file drawers include full extension drawer slides. This presents a unique challenge as the further a drawer is extended, the further away the center of gravity is from the main body of the product. Depending on the load, the storage product may tip over. There are several ways to prevent this from happening and BRC recommends the following solutions be considered depending on the installation. For more information on your specific layout, contact your BRC representative for advice.


Counterweights

Counterweights are designed to help balance a load in a drawer or several drawers. Depending on the size of the storage product and the load it intends to carry, a counterweight may be the best option. For smaller cabinets, freestanding or mobile, BRC recommends using a counterweight to prevent the product from tipping over. Some of BRC's mobile storage options already include a 5th wheel caster in the front of the drawer which prevents tip over. In this case, the counterweight will not be listed as an option on the individual product page.




Ganging

When cabinets are installed in a long run or back to back, ganging them together may be the most cost effective solution. When installing, the drawers can be removed to gain access to the inside back or side gable of the product. After leveling the cabinet layout, by simply using self tapping wood screws with or without pilot holes, items can be ganged together.



Wall Mounting

Where applicable, wall mounting can provide a cost effective solution to using a counterweight and provide greater tip over protection. For taller cabinets, bookcases and lockers BRC recommends wall mounting to provide a secure and safe environment. Ensure the wall structure contains wood studs or a wood backing. Attaching to metal studs alone is not recommended. Remove the drawers to gain access to the inside back or side gable of the product. After leveling the cabinet, simply use self tapping wood screws with or without pilot holes and secure the cabinet to the wall. Replace the drawers to complete installation.



Wall Mounted Products

Wall mounted items require special consideration before installation. Any product attached to the wall, especially overhead mounted items, must be anchored and secured to the wall to ensure safety and stability. BRC provides the following guidelines & warnings when using wall mounted products:

- This product must be anchored to wall to ensure stability & safety.
- It is the owner and installers responsibility to ensure that the wall type and construction is of sufficient strength to carry the loads of any wall mounted products and their contents.
- Failure of the wall and anchors to support all imposed loads may result in property damage or personal injury.
- BRC can provide size and empty weight of its products only. As wall blocking is considered a building construction process, BRC cannot provide recommendations in this respect and cannot be responsible for damage or injury that may occur as a result of improper installation and/or blocking.

Look for this warning label on all wall mounted BRC products




Mobile Product Instability

Mobile items on casters such as flip top, personal and movable tables of any type and storage items of any type may present an instability hazard if not secured correctly while in use or in storage. Flip top tables or training tables of any type, are inherently more unstable when folded. BRC provides the following guidelines & warnings when using mobile products:

- Lock casters immediately after moving. Do not leave the casters unlocked when in use or in storage.
- Motion may increase the instability of any item with casters. If the wheels hit an obstruction the table's forward momentum often causes overturn, especially if the item is not equipped with wheel extensions. Exercise strong caution while moving these items.
- Use caution when abrupt level changes in the floor are present (such as a doorway or room threshold) as caster failure or tipping may result.
- Do not stand, sit or lean on mobile items for support. They are not intended for this use and personal injury or property damage may result.
- Mobile units that feature height adjustable elements must be lowered to the minimum compressed height when moving to prevent instability. It is also recommended the user remove all computer equipment or other accessories to prevent possible weight imbalance or damage to equipment.
- Failure to follow the guidelines above may result in property damage or personal injury.

Look for this warning label on all mobile BRC products



Cleaning & Maintenance

BEST PRACTICES

To keep your furniture products looking their best, BRC recommends the following general care and maintenance:

Low Pressure (LPL) LAMINATES Cleaning:

Dust laminated surfaces off prior to cleaning. Wet a damp cloth with water, a mild soap or one of our approved cleaning products. Do not use abrasive cleaners as they may scratch or affect the surface appearance. Wipe the surface with the grain (where applicable) using a dry soft cloth.

Approved cleaning products: Glass Plus®, Dawn®, Pledge®, Mr. Clean®, Windex®,
For disinfecting surfaces use products such as: LYSOL®, VIREX®, PURELL®, VIROX®

After use of the above disinfectants ensure that the surfaces are wiped with a damp cloth to remove any product residue.

Take note that any product with Hydrochloric, Sulfuric, or Phosphoric acid may permanently damage the surface. Abrasive elements and excessively acidic or alkaline solutions should be avoided. Prolonged exposure to wet surfaces and/or direct contact with water should be avoided.

High Pressure (HPL) LAMINATES Cleaning:

Dust laminated surfaces off prior to cleaning. Wet a damp cloth with water, a mild soap or one of our approved cleaning products. Do not use abrasive cleaners as they may scratch or affect the surface appearance. Wipe the surface with the grain (where applicable) using a dry soft cloth.

Approved cleaning products: Glass Plus®, Dawn®, Pledge®, Mr. Clean®, Windex®,
For disinfecting surfaces use products such as: LYSOL®, VIREX®, PURELL®, VIROX®, Fantastik®, multi-surface disinfectant, Clorox® Disinfecting Wipes, Caviwipes™, Cavicide™

After use of the above disinfectants ensure that the surfaces are wiped with a damp cloth to remove any product residue.

Take note that any product with Hydrochloric, Sulfuric, or Phosphoric acid may permanently damage the surface. Abrasive elements and excessively acidic or alkaline solutions should be avoided. Prolonged exposure to wet surfaces and/or direct contact with water should be avoided.

Acrylic Tiles And Panels:

Dust regularly to keep surfaces free of dust particles. Clean any dirt or stain with a damp cloth. Do not use chemical cleaners or window cleaners as it may alter or permanently affect the surface appearance.

Tempered & Laminated Glass:

Dust regularly to keep surfaces free of dust particles. Clean any dirt or stain with a damp cloth. Do not use chemical cleaners or window cleaners as it may alter or permanently affect the surface appearance.

Edge Trim:

To remove minor scuff marks and general dirt from bases and connectors, use warm water and a soft cloth. Do not use harsh abrasive cleaners, as they may cause permanent scratches on the surface.

Painted Metals:


Clean these products, use a damp cloth, using only a small amount of lukewarm water if necessary. Abrasive elements and excessively acidic or alkaline solutions should be avoided. Prolonged exposure to wet surfaces and/or direct contact with water should be avoided.

Standard Fabrics:

Standard Care Label W-S. Clean with water based cleaning agents, foam or pure, water free solvents. Vacuuming or light brushing is recommended to prevent dust and soil buildup.

Bleach Cleanable Fabrics:

Bleach is an effective disinfectant, which means it kills most bacteria, fungi and viruses. When fabrics need to be disinfected or sterilized, use a 1:10 household bleach-to-water solution.



Do not saturate
or soak furniture
with cleaner



Use spray or
damp cloth
only



Wipe with damp cloth
using fresh water
after cleaning


Standard & Custom Sizing

BRC has built a reputation on custom tailored product based on our standard offering. Many sizes not listed in the Emotion catalog can still be ordered without requesting a custom quote. The next two pages are meant as a guide to enable users to specify and order a custom size right from the price guide. Follow the guidelines below for specifying and ordering sizes that are not listed in this guide.

Worksurface Size & Pinch Clearance

Standard worksurface sizes listed in the size chart on each page are actual sizes. For instance, a 60" x 24" height adjustable table is manufactured to 60.00" x 24.00". This applies to all products in this guide - Mesa, Viva, SoHo and NoLita.

All Mesa and Viva height adjustable tables are sized to allow for one inch of pinch clearance at the back and on each side of the table. This allows for wire access behind and to the side of the table and provides clearance to avoid pinch points.




Custom Size Availability

Most products can be ordered in 0.25" (1/4") increments in either width or depth depending on the sizes listed in the price guide. Custom increments are available between the minimum and maximum sizes listed on the price page. For instance, in the example below, a Mesa table that has a minimum width of 46" and a maximum width of 82" is available in any size in between the minumim and maximum, for example, 54.25" wide or 70.75" wide. When specifying custom, indicate the actual size required, no additions or deductions will be made by BRC. For example, a custom specified width of 65" will be made at 65.00" exactly.

The example details width only but custom size availability applies to depth as well. If applicable, all variables (width, depth & height) can be customized together in one product. For example, the below item could be ordered with a custom width and depth.

Custom sizes outside of the listed minimum and maximum may still be available but require a quote from BRC. Please contact your representative or send your inquiry to quotes@brc.group.



Next Size Up Pricing

When specifying a custom size, use the pricing applicable to the next size up listed in the price guide. For instance, for a 50.5" width overall, the next largest standard width is 54" at \$400 list, so for a 50.5" depth you would use the \$400 list price.

For more information on next size up pricing, please contact your representative or send your inquiry to quotes@brc.group.

PRODUCT MAP
TABLE OF CONTENTS
MESA ELECTRIC
VIVA ELECTRIC
VIVA MANUAL
VIVA INCREMENTAL
VIVA FIXED HEIGHT
SOHO
NOLITA
CONTROLLERS
www.brc.group


Custom Sizing

Order Sample Code

Ordering custom sizes is as easy as placing the size you want in the ordering code and adding an "SP-" prefix to the code. The example below shows how a height adjustable table can be customized and ordered. MWEE Viva product is available in widths from 26" - 82" and depths from 23" - 35". In the order code for a custom size, "MWEE" becomes "SP-MWEE".

Viva 2 Leg Electric Table

MWEE



ACTUAL SIZE			LAMINATE	
WIDTH	DEPTH	WEIGHT/CUBE	PRICE M1	PRICE H1
82"	35"	120/72	2,987	3,021
82"	29"	120/72	2,646	2,680
76"	29"	110/72	2,521	2,561
70"	29"	110/72	2,384	2,425
64"	29"	110/60	2,384	2,425
58"	29"	110/60	2,344	2,344
46"	29"	105/48	2,248	2,248
40"	29"	95/48	2,140	2,140
34"	29"	85/36	2,079	2,113
28"	29"	70/30	2,045	2,084
94"	23"	120/72	2,987	3,021
82"	23"	120/72	2,533	2,567
76"	23"	115/72	2,407	2,447
70"	23"	115/72	2,271	2,311
64"	23"	105/60	2,181	2,231
58"	23"	100/48	2,101	2,135
46"	23"	90/48	1,988	2,027
40"	23"	80/36	1,965	1,998
34"	23"	70/30	1,930	1,970
28"	23"	70/30	1,920	1,959

ORDER CODE SAMPLE					
ITEM CODE	WIDTH	DEPTH	LAMINATE	SCULPTURE	OPTION
MWEE	70	23	H1	SN	LMP

Features & Specifications

- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Specify sculpture - 'SN' - none, 'SR' - right, 'SL' - left, or 'SD' - double
- Woodgrain runs horizontally if applicable
- Sculpture is 6" deep (eg: 23" depth is 17" at edge when sculptured)

No Charge Options

- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code

Optional Extra

- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$56 per grommet
- Specify LMP for laminate modesty panel; add \$126 for tables 48" wide or less and \$205 for tables over 48" wide
- 6" Bow fronts for tables 58" and larger available; add BF to code and \$158

PRODUCT MAP
TABLE OF CONTENTS
MESA ELECTRIC
VIVA ELECTRIC
VIVA MANUAL
VIVA INCREMENTAL
VIVA FIXED HEIGHT
SOHO
NOLITA
CONTROLLERS
www.brc.group

NOTE:
THIS PAGE USES PRODUCT MWEE AS AN EXAMPLE ONLY. OTHER PRODUCTS WILL HAVE DIFFERENT SIZE VARIATIONS DEPENDING ON THE MINIMUM AND MAXIMUM SIZES LISTED. CONSULT EACH PRODUCT PAGE FOR DETAILS ON ITS CUSTOM SIZE AVAILABILITY.

DEPTHS AVAILABLE FROM 23" TO 35" ONLY
WIDTHS AVAILABLE FROM 26" TO 82" ONLY

ORDER CODE SAMPLE FOR STANDARD SIZES

ORDER CODE SAMPLE FOR CUSTOM SIZES

ORDER CODE SAMPLE - CUSTOM SIZE				
ITEM CODE	WIDTH	DEPTH	LAMINATE	SCULPTURE
SP-MWEE	69	26	M1	SN

NEXT SIZE UP SIZE:
MWEE 70 29 M1

NEXT SIZE UP PRICE:
\$ 2,384


ADD "SP-" BEFORE
STANDARD CODE

AVAILABLE IN
WIDTHS FROM
26" TO 82"


AVAILABLE IN
DEPTHS FROM
23" TO 35"

Product Map


Mesa Electric T Base [SPEC PAGE](#)




Mesa Electric C Base



Viva Electric [SPEC PAGE](#)




Mesa Electric Wall Mount




Viva Manual [SPEC PAGE](#)




Viva Incremental [SPEC PAGE](#)




Viva Fixed Height [SPEC PAGE](#)



SoHo [SPEC PAGE](#)



NoLita [SPEC PAGE](#)




Controller Options



VIVA

Rechargeable Battery



VIVA

Casters




MESA



VIVA

HA Table Support [SPEC PAGE](#)



Mesa

Economical Electric Height Adjustable Tables

Standard Features:

- LPL & HPL Worksurfaces available with overall height adjustability from 22.75" to 48.75"
- Programmable anti collision enabled - table will stop if obstruction is encountered
- Full undersurface adjustable width frame prevents lateral movement
- Power ratings: 456W, 3.8 Amp working, 0.5W standby, 108" power cord
- Includes cable management ties for under surface attachment
- Four position memory handset with digital height display
- Modesty free design meets ADA accessibility requirements
- Dual motor with a lift capacity up to 275lbs.
- Optional modesty panel is 10" high

Basic Dimensions:

T-LEG, C-LEG

- Column: 1.9" x 3.0" [48mm x 76mm]
- Foot: 2.95" x 23.65" [75mm x 601mm]
- Foot height: 1.59" [40mm]

FRAME

- 1.25" horizontal top frame

Finishes:

BASE



- Powdercoat silver, black & white


WORKSURFACE

- 1" LPL & HPL in all standard BRC laminates

General Product Overview:

Table bases are metal and have a durable scratch resistant, heat cured powder coat paint finish. Metal uprights are 14 gauge tubing and incorporate plastic sleeves throughout for quiet and smooth operation. Low profile foot is constructed of heavy gauge welded steel, with waterfall front and back edges. Feet have oversize levelers for greater stability.





ACTUAL SIZE			LAMINATE	
WIDTH	DEPTH	WEIGHT	PRICE M1	PRICE H1
82"	35"	132	2,143	2,396
82"	29"	123	2,143	2,396
76"	29"	119	2,143	2,396
70"	29"	116	2,143	2,396
58"	29"	109	2,143	2,396
46"	29"	102	1,910	2,036
82"	23"	113	1,910	2,036
76"	23"	110	1,910	2,036
70"	23"	107	1,910	2,036
58"	23"	102	1,910	2,036
46"	23"	97	1,794	1,858
40"	23"	92	1,794	1,858
34"	23"	87	1,794	1,858



ORDER CODE SAMPLE				
ITEM CODE	WIDTH	DEPTH	LAMINATE	OPTION
MWTC	70	23	H1	LMP

Features & Specifications

- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Woodgrain runs width wise if applicable
- The BIFMA height range is 22.75" to 48.75" including the 1" top

No Charge Options


- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code

Optional Extra

- Specify *GL* (left), *GC* (center) and/or *GR* (right) for grommet; add \$76 per grommet
- Specify *LMP* for laminate modesty panel; add \$276

Mesa Rectangular 2 Leg Electric T Base Table Sit-Stand

MWSTC



ACTUAL SIZE			LAMINATE	
WIDTH	DEPTH	WEIGHT	PRICE M1	PRICE H1
82"	35"	132	2,143	2,396
82"	29"	123	2,143	2,396
76"	29"	119	2,143	2,396
70"	29"	116	2,143	2,396
58"	29"	109	2,143	2,396
46"	29"	102	1,910	2,036
82"	23"	113	1,910	2,036
76"	23"	110	1,910	2,036
70"	23"	107	1,910	2,036
58"	23"	102	1,910	2,036
46"	23"	97	1,794	1,858
40"	23"	92	1,794	1,858
34"	23"	87	1,794	1,858



ORDER CODE SAMPLE				
ITEM CODE	WIDTH	DEPTH	LAMINATE	OPTION
MWSTC	70	23	H1	LMP

Features & Specifications


- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Woodgrain runs width wise if applicable
- The Sit to Stand height range is 25" to 51" including the 1" top

No Charge Options

- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code

Optional Extra

- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel; add \$276



MWTCBO	
FEATURES & SPECIFICATIONS	PRICE
• Frame extends to 71" wide • Accommodates worksurface sizes of 40" - 84" wide by 24" - 30" deep	1,466




ORDER CODE SAMPLE
ITEM CODE
MWTCBO

Features & Specifications

- Leg provides 1" of leveling
- All kits include base frame, feet, levellers and Mesa handset controller
- Assembly instructions included in box
- Worksurface fastening hardware not included. Screws should be chosen by the installer taking into account the thickness of worksurface used
- The BIFMA height range is 22.75" to 48.75" including the 1" top

No Charge Options

- Available in standard metal paint finishes



MWSTCBO	
FEATURES & SPECIFICATIONS	PRICE
• Frame extends to 71" wide • Accommodates worksurface sizes of 40" - 84" wide by 24" - 30" deep	1,466




ORDER CODE SAMPLE
ITEM CODE
MWSTCBO

Features & Specifications

- Leg provides 1" of leveling
- All kits include base frame, feet, levellers and Mesa handset controller
- Assembly instructions included in box
- Worksurface fastening hardware not included. Screws should be chosen by the installer taking into account the thickness of worksurface used
- The Sit to Stand height range is 25" to 51" including the 1" top

No Charge Options

- Available in standard metal paint finishes



ACTUAL SIZE		
WIDTH	DEPTH	PRICE
23.75"	3.25"	248

Features & Specifications


No Charge Options

▽


ORDER CODE SAMPLE
ITEM CODE
AQMFM

- Kit includes one pair of feet with casters
- Includes twin wheel casters
- Used for two leg T configurations only
- Adjusted height range with BIFMA column: 23" to 48.25"

- Available in standard metal paint finishes



MR
MAIN RIGHT EXTENDED



ML
MAIN LEFT EXTENDED

ARROWS INDICATE GRAIN DIRECTION
(IF APPLICABLE)

ACTUAL SIZE					LAMINATE	
WIDTH	DEPTH	RETURN R1	RETURN R2	RADIUS	PRICE M1	PRICE H1
64"	64"	23" or 29"	23" or 29"	18"	3,661	4,202
64"	70"	23" or 29"	23" or 29"	18"	3,661	4,202
64"	76"	23" or 29"	23" or 29"	18"	3,661	4,202
64"	82"	23" or 29"	23" or 29"	18"	3,661	4,202
70"	64"	23" or 29"	23" or 29"	18"	3,661	4,202
70"	70"	23" or 29"	23" or 29"	18"	3,661	4,202
70"	76"	23" or 29"	23" or 29"	18"	3,661	4,202
70"	82"	23" or 29"	23" or 29"	18"	3,661	4,202
76"	64"	23" or 29"	23" or 29"	18"	3,661	4,202
76"	70"	23" or 29"	23" or 29"	18"	3,661	4,202
76"	76"	23" or 29"	23" or 29"	18"	3,661	4,202
76"	82"	23" or 29"	23" or 29"	18"	3,661	4,202
82"	64"	23" or 29"	23" or 29"	18"	3,661	4,202
82"	70"	23" or 29"	23" or 29"	18"	3,661	4,202
82"	76"	23" or 29"	23" or 29"	18"	3,661	4,202
82"	82"	23" or 29"	23" or 29"	18"	3,661	4,202



ORDER CODE SAMPLE							
ITEM CODE	R1	WIDTH	DEPTH	R2	LAMINATE	HAND	OPTION
MWTCEL	23	82	76	23	M1	ML	LMP

Features & Specifications


No Charge Options

Optional Extra


- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Woodgrain runs width wise if applicable
- Specify hand - "MR" main right extended, "ML" main left extended
- The BIFMA height range is 22.75" to 48.75" including the 1" top
- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code
- For strait front instead of curved front add "SF" to option code
- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel; add \$340

Mesa 2pc Top 3 Leg Electric T Base Table Sit-Stand

MWSTCEL



MR
MAIN RIGHT EXTENDED



ML
MAIN LEFT EXTENDED

ARROWS INDICATE GRAIN DIRECTION
(IF APPLICABLE)

ACTUAL SIZE					LAMINATE	
WIDTH	DEPTH	RETURN R1	RETURN R2	RADIUS	PRICE M1	PRICE H1
64"	64"	23" or 29"	23" or 29"	18"	3,661	4,202
64"	70"	23" or 29"	23" or 29"	18"	3,661	4,202
64"	76"	23" or 29"	23" or 29"	18"	3,661	4,202
64"	82"	23" or 29"	23" or 29"	18"	3,661	4,202
70"	64"	23" or 29"	23" or 29"	18"	3,661	4,202
70"	70"	23" or 29"	23" or 29"	18"	3,661	4,202
70"	76"	23" or 29"	23" or 29"	18"	3,661	4,202
70"	82"	23" or 29"	23" or 29"	18"	3,661	4,202
76"	64"	23" or 29"	23" or 29"	18"	3,661	4,202
76"	70"	23" or 29"	23" or 29"	18"	3,661	4,202
76"	76"	23" or 29"	23" or 29"	18"	3,661	4,202
76"	82"	23" or 29"	23" or 29"	18"	3,661	4,202
82"	64"	23" or 29"	23" or 29"	18"	3,661	4,202
82"	70"	23" or 29"	23" or 29"	18"	3,661	4,202
82"	76"	23" or 29"	23" or 29"	18"	3,661	4,202
82"	82"	23" or 29"	23" or 29"	18"	3,661	4,202




ORDER CODE SAMPLE							
ITEM CODE	R1	WIDTH	DEPTH	R2	LAMINATE	HAND	OPTION
MWSTCEL	23	82	76	23	M1	ML	LMP

Features & Specifications


No Charge Options

Optional Extra

- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Woodgrain runs width wise if applicable
- Specify hand - "MR" main right extended, "ML" main left extended
- The height range is 25" to 51" including the 1" top
- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code
- For strait front instead of curved front add "SF" to option code
- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel; add \$340



MR
MAIN RIGHT EXTENDED



ML
MAIN LEFT EXTENDED

ARROWS INDICATE GRAIN DIRECTION
(IF APPLICABLE)

ACTUAL SIZE					LAMINATE	
WIDTH	DEPTH	RETURN R1	RETURN R2	RADIUS	PRICE M1	PRICE H1
82"	58"	23" or 29"	23" or 29"	18"	3,535	3,792
76"	58"	23" or 29"	23" or 29"	18"	3,535	3,792
70"	58"	23" or 29"	23" or 29"	18"	3,535	3,792
64"	58"	23" or 29"	23" or 29"	18"	3,535	3,792
82"	52"	23" or 29"	23" or 29"	18"	3,521	3,778
76"	52"	23" or 29"	23" or 29"	18"	3,521	3,778
70"	52"	23" or 29"	23" or 29"	18"	3,521	3,778
64"	52"	23" or 29"	23" or 29"	18"	3,521	3,778
58"	52"	23" or 29"	23" or 29"	18"	3,521	3,778
82"	46"	23" or 29"	23" or 29"	18"	3,508	3,766
76"	46"	23" or 29"	23" or 29"	18"	3,508	3,766
70"	46"	23" or 29"	23" or 29"	18"	3,508	3,766
64"	46"	23" or 29"	23" or 29"	18"	3,508	3,766
58"	46"	23" or 29"	23" or 29"	18"	3,508	3,766
82"	40"	23"	23"	18"	3,427	3,751
76"	40"	23"	23"	18"	3,427	3,751
70"	40"	23"	23"	18"	3,427	3,751
64"	40"	23"	23"	18"	3,427	3,751
58"	40"	23"	23"	18"	3,427	3,751




ORDER CODE SAMPLE							
ITEM CODE	R1	WIDTH	DEPTH	R2	LAMINATE	HAND	OPTION
MWTCEC	29	82	46	29	M1	ML	LMP

Features & Specifications


No Charge Options

Optional Extra

- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Woodgrain runs width wise if applicable
- Specify hand - "MR" main right extended, "ML" main left extended
- The BIFMA height range is 22.75" to 48.75" including the 1" top
- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code
- For strait front instead of curved front add "SF" to option code
- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel; add \$340



MR
MAIN RIGHT EXTENDED



ML
MAIN LEFT EXTENDED

ARROWS INDICATE GRAIN DIRECTION
(IF APPLICABLE)

ACTUAL SIZE					LAMINATE	
WIDTH	DEPTH	RETURN R1	RETURN R2	RADIUS	PRICE M1	PRICE H1
82"	58"	23" or 29"	23" or 29"	18"	3,535	3,792
76"	58"	23" or 29"	23" or 29"	18"	3,535	3,792
70"	58"	23" or 29"	23" or 29"	18"	3,535	3,792
64"	58"	23" or 29"	23" or 29"	18"	3,535	3,792
82"	52"	23" or 29"	23" or 29"	18"	3,521	3,778
76"	52"	23" or 29"	23" or 29"	18"	3,521	3,778
70"	52"	23" or 29"	23" or 29"	18"	3,521	3,778
64"	52"	23" or 29"	23" or 29"	18"	3,521	3,778
58"	52"	23" or 29"	23" or 29"	18"	3,521	3,778
82"	46"	23" or 29"	23" or 29"	18"	3,508	3,766
76"	46"	23" or 29"	23" or 29"	18"	3,508	3,766
70"	46"	23" or 29"	23" or 29"	18"	3,508	3,766
64"	46"	23" or 29"	23" or 29"	18"	3,508	3,766
58"	46"	23" or 29"	23" or 29"	18"	3,508	3,766
82"	40"	23"	23"	18"	3,427	3,751
76"	40"	23"	23"	18"	3,427	3,751
70"	40"	23"	23"	18"	3,427	3,751
64"	40"	23"	23"	18"	3,427	3,751
58"	40"	23"	23"	18"	3,427	3,751




ORDER CODE SAMPLE							
ITEM CODE	R1	WIDTH	DEPTH	R2	LAMINATE	HAND	OPTION
MWTCEC	29	82	46	29	M1	ML	LMP

Features & Specifications

No Charge Options

Optional Extra

- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Woodgrain runs width wise if applicable
- Specify hand - "MR" main right extended, "ML" main left extended
- The height range is 25" to 51" including the 1" top
- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code
- For strait front instead of curved front add "SF" to option code
- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel; add \$340



MWTC3BO	
FEATURES & SPECIFICATIONS	PRICE
Accommodates worksurface sizes of 48" - 84" wide, returns 48" to 84" wide 24" - 30" deep, and depths 24" - 30"	2,570




ORDER CODE SAMPLE
ITEM CODE
MWTC3BO

Features & Specifications

- Leg provides 1" of leveling
- All kits include base frame, feet, levellers and Mesa handset controller
- Assembly instructions included in box
- Worksurface fastening hardware not included. Screws should be chosen by the installer taking into account the thickness of worksurface used
- The BIFMA height range is 22.75" to 48.75" including the 1" top

No Charge Options

- Available in standard metal paint finishes



MWTC3BO	
FEATURES & SPECIFICATIONS	PRICE
Accommodates worksurface sizes of 48" - 84" wide, returns 48" to 84" wide 24" - 30" deep, and depths 24" - 30"	2,570



ORDER CODE SAMPLE
ITEM CODE
MWTC3BO

Features & Specifications


- Leg provides 1" of leveling
- All kits include base frame, feet, levellers and Mesa handset controller
- Assembly instructions included in box
- Worksurface fastening hardware not included. Screws should be chosen by the installer taking into account the thickness of worksurface used
- The height range is 25" to 51" including the 1" top

No Charge Options

- Available in standard metal paint finishes

Mesa Rectangular 2 Leg Fixed T Base Table

MFMTTH



ACTUAL SIZE				LAMINATE	
WIDTH	DEPTH	HEIGHT	WEIGHT	PRICE M1	PRICE H1
84"	36"	29"	132	1,718	1,971
84"	30"	29"	123	1,718	1,971
78"	30"	29"	119	1,718	1,971
72"	30"	29"	116	1,718	1,971
60"	30"	29"	109	1,718	1,971
48"	30"	29"	102	1,485	1,611
84"	24"	29"	113	1,485	1,611
78"	24"	29"	110	1,485	1,611
72"	24"	29"	107	1,485	1,611
60"	24"	29"	102	1,485	1,611
48"	24"	29"	97	1,369	1,433
42"	24"	29"	95	1,369	1,433
36"	24"	29"	92	1,369	1,433
30"	24"	29"	88	1,369	1,433
24"	24"	29"	85	1,369	1,433



ORDER CODE SAMPLE					
ITEM CODE	WIDTH	DEPTH	HEIGHT	LAMINATE	OPTION
MFMTTH	72	24	29	H1	LMP

Features & Specifications


- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Woodgrain runs width wise if applicable

No Charge Options

- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code

Optional Extra

- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel; add \$276



ACTUAL SIZE			LAMINATE	
WIDTH	DEPTH D1	DEPTH D2	PRICE M1	PRICE H1
34"	23" or 29"	23" or 29"	3,836	4,377
40"	23" or 29"	23" or 29"	3,836	4,377
46"	23" or 29"	23" or 29"	3,836	4,377
52"	23" or 29"	23" or 29"	3,836	4,377
58"	23" or 29"	23" or 29"	3,836	4,377



ORDER CODE SAMPLE					
ITEM CODE	WIDTH	DEPTH D1	DEPTH D2	LAMINATE	OPTION
MFTTH	W72	D24	D30	H1	LMP

Features & Specifications

- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Worksurface may have a seam
- The BIFMA height range is 22.75" to 48.75" including the 1" top


No Charge Options

- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code

Optional Extra

- Specify *GL* (left), *GC* (center) and/or *GR* (right) for grommet; add \$76 per grommet
- Specify *LMP* for laminate modesty panel; add \$435

Mesa 120 Degree 3 Leg Electric T Base Table Sit-Stand MFSTTH



ACTUAL SIZE			LAMINATE	
WIDTH	DEPTH D1	DEPTH D2	PRICE M1	PRICE H1
34"	23" or 29"	23" or 29"	3,836	4,377
40"	23" or 29"	23" or 29"	3,836	4,377
46"	23" or 29"	23" or 29"	3,836	4,377
52"	23" or 29"	23" or 29"	3,836	4,377
58"	23" or 29"	23" or 29"	3,836	4,377



ORDER CODE SAMPLE					
ITEM CODE	WIDTH	DEPTH D1	DEPTH D2	LAMINATE	OPTION
MFTTH	W72	D24	D30	H1	LMP

Features & Specifications

- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Worksurface may have a seam
- The height range is 25" to 51" including the 1" top

No Charge Options


- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code

Optional Extra

- Specify *GL* (left), *GC* (center) and/or *GR* (right) for grommet; add \$76 per grommet
- Specify *LMP* for laminate modesty panel; add \$435

Mesa Rectangular 2 Leg Electric C Base Table BIFMA

MWCL



ACTUAL SIZE			LAMINATE	
WIDTH	DEPTH	WEIGHT	PRICE M1	PRICE H1
82"	35"	132	2,411	2,665
82"	29"	123	2,411	2,665
76"	29"	119	2,411	2,665
70"	29"	116	2,411	2,665
58"	29"	109	2,411	2,665
46"	29"	102	2,178	2,305
82"	23"	113	2,178	2,305
76"	23"	110	2,178	2,305
70"	23"	107	2,178	2,305
58"	23"	102	2,178	2,305
46"	23"	97	2,062	2,126
40"	23"	92	2,062	2,126
34"	23"	87	2,062	2,126



ORDER CODE SAMPLE				
ITEM CODE	WIDTH	DEPTH	LAMINATE	OPTION
MWCL	70	23	H1	LMP

Features & Specifications


- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Woodgrain runs width wise if applicable
- The BIFMA height range is 22.75" to 48.75" including the 1" top

No Charge Options

- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code

Optional Extra

- Specify *GL* (left), *GC* (center) and/or *GR* (right) for grommet; add \$76 per grommet
- Specify *LMP* for laminate modesty panel; add \$276



MWCLBO	
FEATURES & SPECIFICATIONS	PRICE
• Frame extends to 71" wide • Accommodates worksurface sizes of 40" - 84" wide by 24" - 30" deep	1,737




ORDER CODE SAMPLE
ITEM CODE
MWCLBO

Features & Specifications


- Leg provides 1" of leveling
- All kits include base frame, feet, levellers and Mesa handset controller
- Assembly instructions included in box
- Worksurface fastening hardware not included. Screws should be chosen by the installer taking into account the thickness of worksurface used
- The BIFMA height range is 22.75" to 48.75" including the 1" top

No Charge Options

- Available in standard metal paint finishes



MR
MAIN RIGHT EXTENDED



ML
MAIN LEFT EXTENDED

ARROWS INDICATE GRAIN DIRECTION
(IF APPLICABLE)

ACTUAL SIZE					LAMINATE	
WIDTH	DEPTH	RETURN R1	RETURN R2	RADIUS	PRICE M1	PRICE H1
64"	64"	23" or 29"	23" or 29"	18"	3,928	4,470
64"	70"	23" or 29"	23" or 29"	18"	3,928	4,470
64"	76"	23" or 29"	23" or 29"	18"	3,928	4,470
64"	82"	23" or 29"	23" or 29"	18"	3,928	4,470
70"	64"	23" or 29"	23" or 29"	18"	3,928	4,470
70"	70"	23" or 29"	23" or 29"	18"	3,928	4,470
70"	76"	23" or 29"	23" or 29"	18"	3,928	4,470
70"	82"	23" or 29"	23" or 29"	18"	3,928	4,470
76"	64"	23" or 29"	23" or 29"	18"	3,928	4,470
76"	70"	23" or 29"	23" or 29"	18"	3,928	4,470
76"	76"	23" or 29"	23" or 29"	18"	3,928	4,470
76"	82"	23" or 29"	23" or 29"	18"	3,928	4,470
82"	64"	23" or 29"	23" or 29"	18"	3,928	4,470
82"	70"	23" or 29"	23" or 29"	18"	3,928	4,470
82"	76"	23" or 29"	23" or 29"	18"	3,928	4,470
82"	82"	23" or 29"	23" or 29"	18"	3,928	4,470



ORDER CODE SAMPLE							
ITEM CODE	R1	WIDTH	DEPTH	R2	LAMINATE	HAND	OPTION
MWTCEL	23	82	76	23	M1	ML	LMP

Features & Specifications


No Charge Options

Optional Extra


- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Woodgrain runs width wise if applicable
- Specify hand - "MR" main right extended, "ML" main left extended
- The BIFMA height range is 22.75" to 48.75" including the 1" top
- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code
- For strait front instead of curved front add "SF" to option code
- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel; add \$340

Mesa 2pc Top 3 Leg Electric C Base Table Sit-Stand

MWSCCEL



MR
MAIN RIGHT EXTENDED



ML
MAIN LEFT EXTENDED

ARROWS INDICATE GRAIN DIRECTION
(IF APPLICABLE)

ACTUAL SIZE					LAMINATE	
WIDTH	DEPTH	RETURN R1	RETURN R2	RADIUS	PRICE M1	PRICE H1
64"	64"	23" or 29"	23" or 29"	18"	3,928	4,470
64"	70"	23" or 29"	23" or 29"	18"	3,928	4,470
64"	76"	23" or 29"	23" or 29"	18"	3,928	4,470
64"	82"	23" or 29"	23" or 29"	18"	3,928	4,470
70"	64"	23" or 29"	23" or 29"	18"	3,928	4,470
70"	70"	23" or 29"	23" or 29"	18"	3,928	4,470
70"	76"	23" or 29"	23" or 29"	18"	3,928	4,470
70"	82"	23" or 29"	23" or 29"	18"	3,928	4,470
76"	64"	23" or 29"	23" or 29"	18"	3,928	4,470
76"	70"	23" or 29"	23" or 29"	18"	3,928	4,470
76"	76"	23" or 29"	23" or 29"	18"	3,928	4,470
76"	82"	23" or 29"	23" or 29"	18"	3,928	4,470
82"	64"	23" or 29"	23" or 29"	18"	3,928	4,470
82"	70"	23" or 29"	23" or 29"	18"	3,928	4,470
82"	76"	23" or 29"	23" or 29"	18"	3,928	4,470
82"	82"	23" or 29"	23" or 29"	18"	3,928	4,470




ORDER CODE SAMPLE							
ITEM CODE	R1	WIDTH	DEPTH	R2	LAMINATE	HAND	OPTION
MWTCEL	23	82	76	23	M1	ML	LMP

Features & Specifications


No Charge Options

Optional Extra

- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Woodgrain runs width wise if applicable
- Specify hand - "MR" main right extended, "ML" main left extended
- The height range is 25" to 51" including the 1" top
- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code
- For strait front instead of curved front add "SF" to option code
- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel; add \$340



MR
MAIN RIGHT EXTENDED



ML
MAIN LEFT EXTENDED

ARROWS INDICATE GRAIN DIRECTION
(IF APPLICABLE)

ACTUAL SIZE					LAMINATE	
WIDTH	DEPTH	RETURN R1	RETURN R2	RADIUS	PRICE M1	PRICE H1
82"	58"	23" or 29"	23" or 29"	18"	3,802	4,060
76"	58"	23" or 29"	23" or 29"	18"	3,802	4,060
70"	58"	23" or 29"	23" or 29"	18"	3,802	4,060
64"	58"	23" or 29"	23" or 29"	18"	3,802	4,060
82"	52"	23" or 29"	23" or 29"	18"	3,790	4,046
76"	52"	23" or 29"	23" or 29"	18"	3,790	4,046
70"	52"	23" or 29"	23" or 29"	18"	3,790	4,046
64"	52"	23" or 29"	23" or 29"	18"	3,790	4,046
58"	52"	23" or 29"	23" or 29"	18"	3,790	4,046
82"	46"	23" or 29"	23" or 29"	18"	3,775	4,033
76"	46"	23" or 29"	23" or 29"	18"	3,775	4,033
70"	46"	23" or 29"	23" or 29"	18"	3,775	4,033
64"	46"	23" or 29"	23" or 29"	18"	3,775	4,033
58"	46"	23" or 29"	23" or 29"	18"	3,775	4,033
82"	40"	23"	23"	18"	3,763	4,020
76"	40"	23"	23"	18"	3,763	4,020
70"	40"	23"	23"	18"	3,763	4,020
64"	40"	23"	23"	18"	3,763	4,020
58"	40"	23"	23"	18"	3,763	4,020



ORDER CODE SAMPLE							
ITEM CODE	R1	WIDTH	DEPTH	R2	LAMINATE	HAND	OPTION
MWCLEC	29	82	46	29	M1	ML	LMP

Features & Specifications


No Charge Options

Optional Extra


- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Woodgrain runs width wise if applicable
- Specify hand - "MR" main right extended, "ML" main left extended
- The BIFMA height range is 22.75" to 48.75" including the 1" top
- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code
- For strait front instead of curved front add "SF" to option code
- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel; add \$340

Mesa 1pc Top 3 Leg Electric C Base Table Sit-Stand

MWSCOEC



MR
MAIN RIGHT EXTENDED



ML
MAIN LEFT EXTENDED

ARROWS INDICATE GRAIN DIRECTION
(IF APPLICABLE)

ACTUAL SIZE					LAMINATE	
WIDTH	DEPTH	RETURN R1	RETURN R2	RADIUS	PRICE M1	PRICE H1
82"	58"	23" or 29"	23" or 29"	18"	3,802	4,060
76"	58"	23" or 29"	23" or 29"	18"	3,802	4,060
70"	58"	23" or 29"	23" or 29"	18"	3,802	4,060
64"	58"	23" or 29"	23" or 29"	18"	3,802	4,060
82"	52"	23" or 29"	23" or 29"	18"	3,790	4,046
76"	52"	23" or 29"	23" or 29"	18"	3,790	4,046
70"	52"	23" or 29"	23" or 29"	18"	3,790	4,046
64"	52"	23" or 29"	23" or 29"	18"	3,790	4,046
58"	52"	23" or 29"	23" or 29"	18"	3,790	4,046
82"	46"	23" or 29"	23" or 29"	18"	3,775	4,033
76"	46"	23" or 29"	23" or 29"	18"	3,775	4,033
70"	46"	23" or 29"	23" or 29"	18"	3,775	4,033
64"	46"	23" or 29"	23" or 29"	18"	3,775	4,033
58"	46"	23" or 29"	23" or 29"	18"	3,775	4,033
82"	40"	23"	23"	18"	3,763	4,020
76"	40"	23"	23"	18"	3,763	4,020
70"	40"	23"	23"	18"	3,763	4,020
64"	40"	23"	23"	18"	3,763	4,020
58"	40"	23"	23"	18"	3,763	4,020




ORDER CODE SAMPLE							
ITEM CODE	R1	WIDTH	DEPTH	R2	LAMINATE	HAND	OPTION
MWCLEC	29	82	46	29	M1	ML	LMP

Features & Specifications

No Charge Options

Optional Extra

- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Woodgrain runs width wise if applicable
- Specify hand - "MR" main right extended, "ML" main left extended
- The height range is 25" to 51" including the 1" top
- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code
- For strait front instead of curved front add "SF" to option code
- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel; add \$340



MWCL3BO	
FEATURES & SPECIFICATIONS	PRICE
Accommodates worksurface sizes of 48" - 84" wide, returns 48" to 84" wide 24" - 30" deep, and depths 24" - 30"	2,839




ORDER CODE SAMPLE
ITEM CODE
MWCL3BO

Features & Specifications

- Leg provides 1" of leveling
- All kits include base frame, feet, levellers and Mesa handset controller
- Assembly instructions included in box
- Worksurface fastening hardware not included. Screws should be chosen by the installer taking into account the thickness of worksurface used
- The BIFMA height range is 22.75" to 48.75" including the 1" top

No Charge Options

- Available in standard metal paint finishes



MWCL3BO	
FEATURES & SPECIFICATIONS	PRICE
Accommodates worksurface sizes of 48" - 84" wide, returns 48" to 84" wide 24" - 30" deep, and depths 24" - 30"	2,839



ORDER CODE SAMPLE
ITEM CODE
MWCL3BO

Features & Specifications


- Leg provides 1" of leveling
- All kits include base frame, feet, levellers and Mesa handset controller
- Assembly instructions included in box
- Worksurface fastening hardware not included. Screws should be chosen by the installer taking into account the thickness of worksurface used
- The height range is 25" to 51" including the 1" top

No Charge Options

- Available in standard metal paint finishes

Mesa Rectangular 2 Leg Fixed C Base Table

MFMCH



ACTUAL SIZE				LAMINATE	
WIDTH	DEPTH	HEIGHT	WEIGHT	PRICE M1	PRICE H1
84"	36"	29"	132	1,718	1,971
84"	30"	29"	123	1,718	1,971
78"	30"	29"	119	1,718	1,971
72"	30"	29"	116	1,718	1,971
60"	30"	29"	109	1,718	1,971
48"	30"	29"	102	1,485	1,611
84"	24"	29"	113	1,485	1,611
78"	24"	29"	110	1,485	1,611
72"	24"	29"	107	1,485	1,611
60"	24"	29"	102	1,485	1,611
48"	24"	29"	97	1,369	1,433
42"	24"	29"	95	1,369	1,433
36"	24"	29"	92	1,369	1,433
30"	24"	29"	88	1,369	1,433
24"	24"	29"	85	1,369	1,433



ORDER CODE SAMPLE					
ITEM CODE	WIDTH	DEPTH	HEIGHT	LAMINATE	OPTION
MFMCH	72	24	29	H1	LMP

Features & Specifications


- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Woodgrain runs width wise if applicable

No Charge Options

- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code

Optional Extra

- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel; add \$276



ACTUAL SIZE			LAMINATE	
WIDTH	DEPTH D1	DEPTH D2	PRICE M1	PRICE H1
34"	23" or 29"	23" or 29"	3,836	4,377
40"	23" or 29"	23" or 29"	3,836	4,377
46"	23" or 29"	23" or 29"	3,836	4,377
52"	23" or 29"	23" or 29"	3,836	4,377
58"	23" or 29"	23" or 29"	3,836	4,377



ORDER CODE SAMPLE					
ITEM CODE	WIDTH	DEPTH D1	DEPTH D2	LAMINATE	OPTION
MFCTH	W72	D24	D30	H1	LMP

Features & Specifications


- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Worksurface may have a seam
- The BIFMA height range is 22.75" to 48.75" including the 1" top

No Charge Options

- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code

Optional Extra

- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel; add \$435



ACTUAL SIZE			LAMINATE	
WIDTH	DEPTH D1	DEPTH D2	PRICE M1	PRICE H1
34"	23" or 29"	23" or 29"	3,836	4,377
40"	23" or 29"	23" or 29"	3,836	4,377
46"	23" or 29"	23" or 29"	3,836	4,377
52"	23" or 29"	23" or 29"	3,836	4,377
58"	23" or 29"	23" or 29"	3,836	4,377

Features & Specifications


No Charge Options

Optional Extra



ORDER CODE SAMPLE					
ITEM CODE	WIDTH	DEPTH D1	DEPTH D2	LAMINATE	OPTION
MFCTH	W72	D24	D30	H1	LMP

- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Worksurface may have a seam
- The BIFMA height range is 25" to 51" including the 1" top
- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code
- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel; add \$435



ACTUAL SIZE		LAMINATE	
OVERALL WIDTH	WORKSURFACE DEPTH	PRICE <i>M1</i>	PRICE <i>H1</i>
72"	30"	4,516	4,664
60"	30"	4,469	4,616
48"	30"	4,422	4,569
78"	24"	4,516	4,664
72"	24"	4,469	4,616
60"	24"	4,422	4,569
48"	24"	4,374	4,522






ORDER CODE SAMPLE			
ITEM CODE	WIDTH	DEPTH	LAMINATE
MMWHH	72	24	<i>M1</i>

Features & Specifications

- For wall mount applications only
- Laminate codes - *M1*: 1" LPL, *H1*: 1" HPL (top only)
- Woodgrain runs width wise if applicable
- Includes wire management from desk to base
- Includes flip down upper front door for wire access
- Laminate base measures 22" high x 10" deep
- Width indicates laminate base width, worksurface is 1" less (0.5" on each side).

No Charge Options

- Available in all standard laminates
- Base available in standard metal paint finishes



Features & Specifications

No Charge Options

ACTUAL SIZE		LAMINATE	
WIDTH	DEPTH	PRICE <i>M1</i>	PRICE <i>H1</i>
78"	30"	4,144	4,292
72"	30"	4,098	4,244
60"	30"	4,050	4,196
48"	30"	4,002	4,150
78"	24"	4,098	4,244
72"	24"	4,050	4,196
60"	24"	4,002	4,150
48"	24"	3,955	4,102



ORDER CODE SAMPLE			
ITEM CODE	WIDTH	DEPTH	LAMINATE
MMWBH	72	24	<i>M1</i>

- For wall mount applications only
 - Laminate codes - *M1*: 1" LPL, *H1*: 1" HPL (top only)
 - Woodgrain runs width wise if applicable
 - Includes recessed removable front modesty for wire access
 - Wire slot in base open across top
 - Metal wrapped end bases are 21" high x 12.5" deep with laminate side covers
 - Recessed center modesty is 4" deep.
 - Worksurface is 6" wider (3" each side) than lower base width
-
- Available in all standard laminates
 - Base available in standard metal paint finishes

Viva

Premium Electric Height Adjustable Tables

Standard Features:

- LPL & HPL Worksurfaces available with overall height adjustability from 22.25" to 48.25"
- Dual motor with a lift capacity up to 300lbs and 1.5" [38.1mm] per second travel
- Anti collision piezoelectric sensor stops movement when obstruction is encountered
- Power ratings: 450W, 3.75 Amp working, 0.1W standby. 125" Cord length
- C Base two and three leg table configurations
- Whisper quiet motion at only 55 decibels
- Foot design matches all Viva line product

Optional Features:

- Bluetooth with Desk Control App
- Rechargeable Battery for wireless operation
- Multiple handset options
- Left, right and center grommets
- Keyboard tray adaptable
- Modesty panel is 10" high

Basic Dimensions:

C-LEG

- Column: 2" x 3" [50.8mm x 76.2mm]
- Foot: 2.88" x 24" [73.2mm x 609.6mm]
- Foot height: 1.375" [34.9mm]

Finishes:

BASE


- Powdercoat silver, black & white


WORKSURFACE

- 1" or 1.5" LPL & HPL in all standard BRC laminates

General Product Overview:

Table bases are metal and have a durable scratch resistant, heat cured powder coat paint finish. Metal uprights are of 14 gauge tubing 2" thick by 3" wide. Low profile foot is constructed of drawn steel, with waterfall front and back edges. The interior of the foot is double walled with 11 gauge steel supports. These feet have easy to access levelers for ease of installation and balancing. ANSI Bifma and CGSB (Canadian General Standards Board) tested and qualified. This ensures that BRC products adhere to the highest standards of quality and durability in North America. UL Certified electronics.





ACTUAL SIZE			LAMINATE	
WIDTH	DEPTH	WEIGHT/CUBE	PRICE M1	PRICE H1
82"	35"	120/72	4,244	4,294
82"	29"	120/72	3,761	3,808
76"	29"	110/72	3,585	3,641
70"	29"	110/72	3,389	3,448
64"	29"	110/60	3,389	3,448
58"	29"	110/60	3,261	3,333
46"	29"	105/48	3,149	3,196
40"	29"	95/48	2,988	3,042
34"	29"	85/36	2,955	3,003
28"	29"	75/30	2,908	2,963
94"	23"	140/85	4,244	4,294
82"	23"	120/76	3,600	3,649
76"	23"	115/72	3,422	3,479
70"	23"	115/72	3,228	3,286
64"	23"	105/60	3,101	3,172
58"	23"	100/48	2,988	3,035
46"	23"	90/48	2,827	2,882
40"	23"	80/36	2,794	2,840
34"	23"	70/30	2,744	2,801
28"	23"	70/30	2,730	2,785




ORDER CODE SAMPLE					
ITEM CODE	WIDTH	DEPTH	LAMINATE	SCULPTURE	OPTION
MWEE	70	23	H1	SN	LMP

Features & Specifications

No Charge Options

Optional Extra

- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Specify sculpture - 'SN' - none, 'SR' - right, 'SL' - left, or 'SD' - double
- Woodgrain runs horizontally if applicable
- Sculpture is 6" deep (eg: 23" depth is 17" at edge when sculptured)
- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code
- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel; add \$276
- 6" Bow fronts for tables 58" and larger available; add BF to code and \$213



DUAL ARM KEYBOARD

ACTUAL SIZE			LAMINATE	
WIDTH	DEPTH	WEIGHT/CUBE	PRICE M1	PRICE H1
58"	35"	115/70	4,880	5,163
58"	29"	115/70	4,880	5,163
46"	29"	105/60	4,554	4,809
40"	29"	100/60	4,433	4,679



ORDER CODE SAMPLE				
ITEM CODE	WIDTH	DEPTH	LAMINATE	OPTION
MTEE	58	29	H1	KW(FOC)

Features & Specifications

- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Default KBKW-27 dual arm keyboard mechanism has a range of 9.5" Above and 6.5" Below work-surface with 15 degrees positive or negative tilt
- Woodgrain runs horizontally if applicable


No Charge Options

- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code

Optional Extra

- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel; add \$276
- Sliding keyboard with 5" of adjustment; add KW(FOC) to code and add \$418

PRODUCT MAP
TABLE OF CONTENTS
MESA ELECTRIC
VIVA ELECTRIC
VIVA MANUAL
VIVA INCREMENTAL
VIVA FIXED HEIGHT
SOHO
NOLITA
CONTROLLERS
www.brc.group



SINGLE ARM KEYBOARD

ACTUAL SIZE			LAMINATE	
WIDTH	DEPTH	WEIGHT/CUBE	PRICE M1	PRICE H1
34"	29"	95/50	3,992	4,198
28"	29"	89/40	3,944	4,309



ORDER CODE SAMPLE				
ITEM CODE	WIDTH	DEPTH	LAMINATE	OPTION
MTEESA	34	29	H1	KW(FOC)

Features & Specifications

- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Default KBSS single arm keyboard mechanism has a range of 6" above and 6" below worksurface with 15 degrees positive or negative tilt
- Woodgrain runs horizontally if applicable


No Charge Options

- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code


Optional Extra

- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel; add \$276


PRODUCT MAP
TABLE OF CONTENTS
MESA ELECTRIC
VIVA ELECTRIC
VIVA MANUAL
VIVA INCREMENTAL
VIVA FIXED HEIGHT
SOHO
NOLITA
CONTROLLERS
www.brc.group



A1
STRAIGHT FRONT
CURVE BACK



A2
CURVE FRONT
CURVE BACK



B1
STRAIGHT FRONT
STRAIGHT BACK

Features & Specifications

No Charge Options


Optional Extra

ACTUAL SIZE				LAMINATE	
WIDTH	DEPTH	USER WIDTH	WEIGHT/ CUBE	PRICE M1	PRICE H1
46"	29"	25"	105/60	3,874	4,035
40"	29"	17"	105/60	3,794	3,956
46"	23"	34"	105/60	3,882	3,939
40"	23"	25"	100/60	3,720	3,874
34"	23"	17"	90/54	3,398	3,551
28"	23"	9"	90/54	3,318	3,472



ORDER CODE SAMPLE					
ITEM CODE	WIDTH	DEPTH	LAMINATE	STYLE	OPTION
MTKEE	46	29	H1	A1	LMP

- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Specify worksurface style: 'A1', 'A2' or 'B1'
- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code
- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel; add \$276



ACTUAL SIZE			LAMINATE	
WIDTH	DEPTH	WEIGHT/CUBE	PRICE M1	PRICE H1
46"	29"	105/60	4,961	5,246
46"	23"	105/60	4,880	5,163
40"	23"	100/60	4,806	5,083
40"	17"	100/60	4,806	5,083



ORDER CODE SAMPLE				
ITEM CODE	WIDTH	DEPTH	LAMINATE	OPTION
MTKEEVC	46	29	H1	LMP


Features & Specifications

No Charge Options


Optional Extra

- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Default KBKW dual arm keyboard mechanism has a range of 9.5" above and 6.5" below worksurface with 15 degrees positive or negative tilt
- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code
- Straight front available; add option *SF* to product code
- Specify *GL* (left), *GC* (center) and/or *GR* (right) for grommet; add \$76 per grommet
- Specify *LMP* for laminate modesty panel; add \$276
- Sliding keyboard with 5" of adjustment; add *KW(FOC)* to code and add \$458

PRODUCT MAP	TABLE OF CONTENTS	MESA ELECTRIC	VIVA ELECTRIC	VIVA MANUAL	VIVA INCREMENTAL	VIVA FIXED HEIGHT	SOHO	NOLITA	CONTROLLERS	www.brc.group
-------------	-------------------	---------------	---------------	-------------	------------------	-------------------	------	--------	-------------	---------------



EL
EXTENDED LEFT



ER
EXTENDED RIGHT

23" DEEP RETURN ON BOTH SIDES

ARROWS INDICATE GRAIN DIRECTION
(IF APPLICABLE)

ACTUAL SIZE					LAMINATE	
WIDTH	DEPTH	RETURN	RADIUS	WT/CUBE	PRICE M1	PRICE H1
82"	58"	23"	18"	215/18.5	5,660	6,021
76"	58"	23"	18"	202/17.2	5,614	5,975
70"	58"	23"	18"	189/15.9	5,470	5,834
64"	58"	23"	18"	176/14.6	5,365	5,726
82"	52"	23"	18"	215/18.5	5,365	5,726
76"	52"	23"	18"	202/17.2	5,365	5,726
70"	52"	23"	18"	189/15.9	5,311	5,673
64"	52"	23"	18"	176/14.6	5,311	5,673
58"	52"	23"	18"	149/11.0	5,283	5,647
82"	46"	23"	18"	215/18.5	5,268	5,633
76"	46"	23"	18"	202/17.2	5,268	5,633
70"	46"	23"	18"	189/15.9	5,248	5,612
64"	46"	23"	18"	176/14.6	5,248	5,612
58"	46"	23"	18"	149/11.0	5,214	5,575

ARROWS INDICATE GRAIN DIRECTION
(IF APPLICABLE)




ORDER CODE SAMPLE							
ITEM CODE	RETURN	WIDTH	DEPTH	RETURN	LAMINATE	HAND	OPTION
MWEEC	23	70	46	23	M1	EL	GC

Features & Specifications


No Charge Options

Optional Extra

- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Woodgrain runs horizontally on the longest side of the table
- Specify style - 'ER' - extended right, or 'EL' - extended left
- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code
- For straight front instead of standard curved, add code SF to options
- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel; add \$340



EL
EXTENDED LEFT



ER
EXTENDED RIGHT

29" DEEP RETURN ON BOTH SIDES

ARROWS INDICATE GRAIN DIRECTION
(IF APPLICABLE)

ACTUAL SIZE					LAMINATE	
WIDTH	DEPTH	RETURN	RADIUS	WT/CUBE	PRICE M1	PRICE H1
82"	58"	29"	18"	215/18.5	5,675	6,039
76"	58"	29"	18"	202/17.2	5,629	5,993
70"	58"	29"	18"	189/15.9	5,483	5,848
64"	58"	29"	18"	176/14.6	5,380	5,745
82"	52"	29"	18"	215/18.5	5,380	5,745
76"	52"	29"	18"	202/17.2	5,380	5,745
70"	52"	29"	18"	189/15.9	5,324	5,689
64"	52"	29"	18"	176/14.6	5,324	5,689
58"	52"	29"	18"	149/11.0	5,299	5,663
82"	46"	29"	18"	215/18.5	5,285	5,649
76"	46"	29"	18"	202/17.2	5,285	5,649
70"	46"	29"	18"	189/15.9	5,265	5,624
64"	46"	29"	18"	176/14.6	5,265	5,624
58"	46"	29"	18"	149/11.0	5,228	5,597





ORDER CODE SAMPLE							
ITEM CODE	RETURN	WIDTH	DEPTH	RETURN	LAMINATE	HAND	OPTION
MWEEC	29	70	46	29	M1	EL	GC

Features & Specifications

No Charge Options

Optional Extra

- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Woodgrain runs horizontally on the longest side of the table
- Specify style - 'ER' - extended right, or 'EL' - extended left
- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code
- For straight front instead of standard curved, add code SF to options
- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel; add \$340



29" DEEP RETURN ON BOTH SIDES

**MAIN WORKSURFACE DETERMINES
HANDEDNESS, SEAM DICTATES
RETURN**

ARROWS INDICATE GRAIN DIRECTION
(IF APPLICABLE)

Features & Specifications

No Charge Options

Optional Extra

ACTUAL SIZE					LAMINATE	
WIDTH	DEPTH	RETURN	RADIUS	WT/CUBE	PRICE M1	PRICE H1
64"	64"	29"	18"	185/14.6	5365	5726
64"	70"	29"	18"	190/14.8	5365	5726
64"	76"	29"	18"	194/15.0	5365	5726
64"	82"	29"	18"	198/15.2	5365	5726
64"	88"	29"	18"	203/15.4	5365	5726
64"	94"	29"	18"	207/15.6	5365	5726
70"	64"	29"	18"	190/15.8	5470	5834
70"	70"	29"	18"	189/15.9	5470	5834
70"	76"	29"	18"	198/16.0	5470	5834
70"	82"	29"	18"	203/16.2	5470	5834
70"	88"	29"	18"	207/16.4	5470	5834
70"	94"	29"	18"	211/16.8	5470	5834
76"	64"	29"	18"	194/17.0	5614	5975
76"	70"	29"	18"	198/17.1	5614	5975
76"	76"	29"	18"	202/17.2	5614	5975
76"	82"	29"	18"	207/17.4	5614	5975
76"	88"	29"	18"	211/17.6	5614	5975
76"	94"	29"	18"	216/17.8	5614	5975
82"	64"	29"	18"	198/18.0	5660	6021
82"	70"	29"	18"	203/18.2	5660	6021
82"	76"	29"	18"	207/18.4	5660	6021
82"	82"	29"	18"	211/18.6	5660	6021
82"	88"	29"	18"	216/18.8	5660	6021
82"	94"	29"	18"	220/19.0	5660	6021
94"	64"	29"	18"	207/19.2	5835	6197
94"	70"	29"	18"	211/19.4	5835	6197
94"	76"	29"	18"	216/19.6	5835	6197
94"	82"	29"	18"	220/19.8	5835	6197
94"	88"	29"	18"	224/19.9	5835	6197
94"	94"	29"	18"	225/20.1	5835	6197




ORDER CODE SAMPLE							
ITEM CODE	RETURN	WIDTH	DEPTH	RETURN	LAMINATE	HAND	OPTION
MWEEL	29	70	76	29	M1	ML	GC LMP


- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Two piece worksurface will have a seam as shown

- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code

- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel (set of 2); add \$340 total



MR
MAIN RIGHT EXTENDED



ML
MAIN LEFT EXTENDED

29" DEEP RETURN ON BOTH SIDES
**MAIN WORKSURFACE DETERMINES
HANDEDNESS, SEAM DICTATES
RETURN**

ARROWS INDICATE GRAIN DIRECTION
(IF APPLICABLE)

Features & Specifications

No Charge Options

Optional Extra

ACTUAL SIZE				LAMINATE	
WIDTH	DEPTH	RETURN	WT/CUBE	PRICE M1	PRICE H1
64"	64"	29"	185/14.6	5365	5726
64"	70"	29"	190/14.8	5365	5726
64"	76"	29"	194/15.0	5365	5726
64"	82"	29"	198/15.2	5365	5726
64"	88"	29"	203/15.4	5365	5726
64"	94"	29"	207/15.6	5365	5726
70"	64"	29"	190/15.8	5470	5834
70"	70"	29"	189/15.9	5470	5834
70"	76"	29"	198/16.0	5470	5834
70"	82"	29"	203/16.2	5470	5834
70"	88"	29"	207/16.4	5470	5834
70"	94"	29"	211/16.8	5470	5834
76"	64"	29"	194/17.0	5614	5975
76"	70"	29"	198/17.1	5614	5975
76"	76"	29"	202/17.2	5614	5975
76"	82"	29"	207/17.4	5614	5975
76"	88"	29"	211/17.6	5614	5975
76"	94"	29"	216/17.8	5614	5975
82"	64"	29"	198/18.0	5660	6021
82"	70"	29"	203/18.2	5660	6021
82"	76"	29"	207/18.4	5660	6021
82"	82"	29"	211/18.6	5660	6021
82"	88"	29"	216/18.8	5660	6021
82"	94"	29"	220/19.0	5660	6021
94"	64"	29"	207/19.2	5835	6197
94"	70"	29"	211/19.4	5835	6197
94"	76"	29"	216/19.6	5835	6197
94"	82"	29"	220/19.8	5835	6197
94"	88"	29"	224/19.9	5835	6197
94"	94"	29"	225/20.1	5835	6197



ORDER CODE SAMPLE							
ITEM CODE	RETURN	WIDTH	DEPTH	RETURN	LAMINATE	HAND	OPTION
MWEELC	29	70	88	29	M1	ML	GC LMP

- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Two piece worksurface will have a seam as shown
- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code
- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel (set of 2); add \$340 total

Viva

Manually Operated Height Adjustable Tables

Standard Features:

- LPL & HPL worksurfaces with overall height adjustability from 24" to 36"
- Top access crank handle & grommets are standard (UTS)
- Handle turns 6 revolutions for each 1" of travel
- C Base two and three leg configurations
- Foot design matches all Viva line products
- No electrical power requirements

Optional Features:

- Left, right and center grommets
- Undermount crank handle position

Basic Dimensions:

C-LEG

- Column: 2.0" x 4.0" [51mm x 102mm]
- Foot: 2.88" x 24" [73.2mm x 609.6mm]
- Foot height: 1.375" [34.9mm]

FRAME

- 1.25" x 1.25" [32 x 32mm] spans full width

Finishes:

BASE

- Powdercoat silver, black & white


WORKSURFACE


- 1" & 1.5" LPL & HPL in all standard BRC laminates

General Product Overview:


Table bases are metal and have a durable scratch resistant, heat cured powder coat paint finish. Metal uprights are of 14 gauge tubing 2" thick by 4" wide. On all tables, inserts are of 14 gauge tubing and incorporate Teflon-like slides for smooth operation and low maintenance. All table bases have a 1" x 3" horizontal modesty bar of 16 gauge steel attached to each leg to assure strength and stability throughout the entire range of motion. Low profile foot is constructed of drawn steel, with waterfall front and back edges. The interior of the foot is double walled with 11 gauge steel supports. These feet have easy to access levelers for ease of installation and balancing.

ANSI Bifma and CGSB (Canadian General Standards Board) tested and qualified. This ensures that BRC products adhere to the highest standards of quality and durability in North America.







SN
NO SCULPTURE



SR
RIGHT SCULPTURE



SL
LEFT SCULPTURE



SD
DOUBLE SCULPTURE

Features & Specifications

No Charge Options


Optional Extra

ACTUAL SIZE			LAMINATE	
WIDTH	DEPTH	WEIGHT/CUBE	PRICE M1	PRICE H1
94"	35"	140/75	2752	3018
82"	29"	120/72	2267	2520
76"	29"	110/72	2141	2349
70"	29"	100/72	1978	2155
64"	29"	110/60	1931	2092
58"	29"	110/60	1874	2042
52"	29"	110/60	1874	2042
46"	29"	105/48	1784	1906
40"	29"	95/48	1632	1752
34"	29"	85/36	1601	1714
28"	29"	75/30	1558	1672
82"	23"	120/72	2163	2494
76"	23"	115/72	2163	2335
70"	23"	115/72	1898	2060
64"	23"	110/66	1802	1939
58"	23"	105/60	1746	1874
52"	23"	105/54	1746	1874
46"	23"	100/48	1697	1809
40"	23"	90/48	1543	1657
34"	23"	80/36	1512	1617
28"	23"	70/30	1478	1576
22"	23"	70/30	1478	1576



ORDER CODE SAMPLE					
ITEM CODE	WIDTH	DEPTH	LAMINATE	SCULPTURE	OPTION
MWCC	70	23	H1	SN	LMP

- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Specify sculpture: 'SN' - none, 'SR' - right, 'SL' - left, or 'SD' - double
- Sculpture is 6" deep (eg: 23" depth is 17" at edge when sculptured)
- Top access crank handle/grommets are standard. Undermount option (UTS) does not remove top access holes
- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code
- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel; add \$276
- For under surface handle operation add 'UTS' to product code; add \$236



DUAL ARM KEYBOARD

ACTUAL SIZE			LAMINATE	
WIDTH	DEPTH	WEIGHT/CUBE	PRICE M1	PRICE H1
58"	35"	115/70	3266	3551
58"	29"	115/70	3205	3389
46"	29"	105/60	2940	3196
40"	29"	100/60	2823	3068




ORDER CODE SAMPLE				
ITEM CODE	WIDTH	DEPTH	LAMINATE	OPTION
MTCC	58	29	H1	LMP

Features & Specifications

No Charge Options

Optional Extra

- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Default KBKW-27 dual arm keyboard mechanism has a range of 9.5" above and 6.5" below work-surface with 15 degrees positive or negative tilt
- Top access crank handle/grommets are standard. Undermount option (UTS) does not remove top access holes
- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code
- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel; add \$276
- Sliding keyboard with 5" of adjustment; add KW(FOC) to code and add \$418



SINGLE ARM KEYBOARD

ACTUAL SIZE			LAMINATE	
WIDTH	DEPTH	WEIGHT/CUBE	PRICE M1	PRICE H1
45"	29"	95/50	2378	2583
28"	29"	89/40	2335	2534



ORDER CODE SAMPLE				
ITEM CODE	WIDTH	DEPTH	LAMINATE	OPTION
MTCCSA	28	29	H1	LMP


Features & Specifications

No Charge Options


Optional Extra

- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Default KBSS single arm keyboard mechanism has a range of 5.8" above and 8.2" below worksurface with 15 degrees positive or negative tilt
- Top access crank handle/grommets are standard. Undermount option (UTS) does not remove top access holes
- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code
- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel; add \$276


PRODUCT MAP
TABLE OF CONTENTS
MESA ELECTRIC
VIVA ELECTRIC
VIVA MANUAL
VIVA INCREMENTAL
VIVA FIXED HEIGHT
SOHO
NOLITA
CONTROLLERS
www.brc.group



A1
STRAIGHT FRONT
CURVE BACK



A2
CURVE FRONT
CURVE BACK



B1
STRAIGHT FRONT
STRAIGHT BACK

Features & Specifications

No Charge Options


Optional Extra

ACTUAL SIZE				LAMINATE	
WIDTH	DEPTH	USER WIDTH	WEIGHT/ CUBE	PRICE M1	PRICE H1
46"	29"	25"	105/60	2267	2326
40"	29"	17"	105/60	1568	1874
46"	23"	34"	105/60	2267	2326
40"	23"	25"	100/60	1568	1874
34"	23"	17"	90/54	1420	1714
28"	23"	9"	90/54	1420	1714



ORDER CODE SAMPLE					
ITEM CODE	WIDTH	DEPTH	LAMINATE	STYLE	OPTION
MTKCC	46	29	H1	A1	LMP

- Leg provides 1" of leveling
 - Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
 - Specify worksurface style: 'A1', 'A2' or 'B1'
 - Top access crank handle/grommets are standard. Undermount option (UTS) does not remove top access holes
- Available in all standard laminates
 - Available in standard metal paint finishes
 - For sizes not listed, specify actual (not nominal) size in product code
- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
 - Specify LMP for laminate modesty panel; add \$276



ACTUAL SIZE			LAMINATE	
WIDTH	DEPTH	WEIGHT/CUBE	PRICE M1	PRICE H1
46"	29"	105/60	3266	3551
46"	23"	105/60	3266	3551
40"	23"	100/60	3193	3472
40"	17"	100/60	3193	3472



ORDER CODE SAMPLE				
ITEM CODE	WIDTH	DEPTH	LAMINATE	OPTION
MTKCCVC	46	29	H1	LMP


Features & Specifications

No Charge Options


Optional Extra

- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Default KBKW dual arm keyboard mechanism has a range of 9.5" above and 6.5" below worksurface with 15 degrees positive or negative tilt
- Top access crank handle/grommets are standard. Undermount option (UTS) does not remove top access holes
- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code
- Straight front available; add option *SF* to product code
- Specify *GL* (left), *GC* (center) and/or *GR* (right) for grommet; add \$76 per grommet
- Specify *LMP* for laminate modesty panel; add \$276

PRODUCT MAP	TABLE OF CONTENTS	MESA ELECTRIC	VIVA ELECTRIC	VIVA MANUAL	VIVA INCREMENTAL	VIVA FIXED HEIGHT	SOHO	NOLITA	CONTROLLERS	www.brc.group
-------------	-------------------	---------------	---------------	-------------	------------------	-------------------	------	--------	-------------	---------------



EL
EXTENDED LEFT



ER
EXTENDED RIGHT

23" DEEP RETURN ON BOTH SIDES

ARROWS INDICATE GRAIN DIRECTION
(IF APPLICABLE)

ACTUAL SIZE					LAMINATE	
WIDTH	DEPTH	RETURN	RADIUS	WT/CUBE	PRICE M1	PRICE H1
70"	58"	23"	18"	189/15.9	3855	4218
64"	58"	23"	18"	176/14.6	3750	4113
70"	52"	23"	18"	189/15.9	3697	4059
64"	52"	23"	18"	176/14.6	3697	4059
58"	52"	23"	18"	149/11.0	3671	4032
70"	46"	23"	18"	189/15.9	3634	3997
64"	46"	23"	18"	176/14.6	3634	3997
58"	46"	23"	18"	149/11.0	3600	3963
70"	40"	23"	18"	189/15.9	3634	3997
64"	40"	23"	18"	176/14.6	3634	3997
58"	40"	23"	18"	149/11.0	3600	3963




ORDER CODE SAMPLE							
ITEM CODE	RETURN	WIDTH	DEPTH	RETURN	LAMINATE	STYLE	OPTION
MECCK	23	70	46	23	M1	EL	GC

Features & Specifications


No Charge Options

Optional Extra

- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Woodgrain runs horizontally on the longest side of the table
- Specify style - 'ER' - extended right, or 'EL' - extended left
- Top access crank handle/grommets are standard. Undermount option (UTS) does not remove top access holes
- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code
- For straight front instead of standard curved, add code SF to options
- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel; add \$340
- For under surface handle operation add 'UTS' to product code; add \$236



EL
EXTENDED LEFT



ER
EXTENDED RIGHT

29" DEEP RETURN ON BOTH SIDES

ARROWS INDICATE GRAIN DIRECTION
(IF APPLICABLE)

ACTUAL SIZE					LAMINATE	
WIDTH	DEPTH	RETURN	RADIUS	WT/CUBE	PRICE M1	PRICE H1
70"	58"	29"	18"	189/15.9	3873	4235
64"	58"	29"	18"	176/14.6	3768	4131
70"	52"	29"	18"	189/15.9	3713	4077
64"	52"	29"	18"	176/14.6	3713	4077
58"	52"	29"	18"	149/11.0	3687	4049
70"	46"	29"	18"	189/15.9	3652	4014
64"	46"	29"	18"	176/14.6	3652	4014
58"	46"	29"	18"	149/11.0	3617	3986
70"	40"	29"	18"	189/15.9	3652	4014
64"	40"	29"	18"	176/14.6	3652	4014
58"	40"	29"	18"	149/11.0	3617	3977

▽

ORDER CODE SAMPLE							
ITEM CODE	RETURN	WIDTH	DEPTH	RETURN	LAMINATE	STYLE	OPTION
MECCK	29	70	46	29	M1	EL	GC

Features & Specifications

No Charge Options

Optional Extra

- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Woodgrain runs horizontally on the longest side of the table
- Specify style - 'ER' - extended right, or 'EL' - extended left
- Top access crank handle/grommets are standard. Undermount option (UTS) does not remove top access holes
- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code
- For straight front instead of standard curved, add code *SF* to options
- Specify *GL* (left), *GC* (center) and/or *GR* (right) for grommet; add \$76 per grommet
- Specify *LMP* for laminate modesty panel; add \$340
- For under surface handle operation add 'UTS' to product code; add \$236

Viva

Incremental Height Adjustable Tables

Standard Features:

- LPL & HPL worksurfaces with overall height adjustability from 24" to 36" in one inch increments
- C Base two and three leg configurations
- Foot design matches all Viva line products
- No electrical power requirements


Optional Features:

- Left, right and center grommets

Basic Dimensions:

C-LEG

- Column: 2.0" x 4.0" [51mm x 102mm]
- Foot: 2.88" x 24" [73.2mm x 609.6mm]
- Foot height: 1.375" [34.9mm]



Finishes:

BASE

- Powdercoat silver, black & white


WORKSURFACE

- 1" & 1.5" LPL & HPL in all standard BRC laminates

General Product Overview:

Table bases are metal and have a durable scratch resistant, heat cured powder coat paint finish. Metal uprights are of 14 gauge tubing 2" thick by 4" wide. All table bases have a 1" x 3" horizontal modesty bar of 16 gauge steel attached to each leg to assure strength and stability. Incremental adjustment is made by removing the socket cap bolt on the back of each leg, setting height required and replacing bolt. Low profile foot is constructed of drawn steel, with waterfall front and back edges. The interior of the foot is double walled with 11 gauge steel supports. These feet have easy to access levelers for ease of installation and balancing.

ANSI Bifma and CGSB (Canadian General Standards Board) tested and qualified. This ensures that BRC products adhere to the highest standards of quality and durability in North America.



ACTUAL SIZE			LAMINATE	
WIDTH	DEPTH	WEIGHT/CUBE	PRICE M1	PRICE H1
94"	35"	140/75	2431	2693
82"	35"	120/72	2061	2314
82"	29"	120/72	1945	2196
76"	29"	110/72	1816	2028
70"	29"	110/72	1657	1835
64"	29"	110/60	1611	1786
58"	29"	110/60	1551	1719
46"	29"	105/48	1462	1582
40"	29"	95/48	1311	1429
34"	29"	85/36	1278	1389
28"	29"	75/30	1236	1350
82"	23"	120/76	1945	2196
76"	23"	115/72	1816	2028
70"	23"	115/72	1576	1738
64"	23"	105/60	1495	1655
58"	23"	100/48	1420	1551
46"	23"	90/48	1375	1485
40"	23"	80/36	1221	1332
34"	23"	70/30	1187	1292
28"	23"	70/30	1158	1255
22"	23"	70/30	1158	1255




ORDER CODE SAMPLE					
ITEM CODE	WIDTH	DEPTH	LAMINATE	SCULPTURE	OPTION
MTCI	70	23	H1	SN	LMP BF

Features & Specifications

No Charge Options

Optional Extra

- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Specify sculpture - 'SN' - none, 'SR' - right, 'SL' - left, or 'SD' - double
- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code
- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel; add \$276
- 6" Bow fronts for tables 58" and larger available; add BF to code and \$213



DUAL ARM KEYBOARD

ACTUAL SIZE			LAMINATE	
WIDTH	DEPTH	WEIGHT/CUBE	PRICE M1	PRICE H1
70"	29"	135/8	2960	3228
58"	29"	125/7	2648	3075
46"	29"	115/6	2494	2737
40"	29"	100/6	2380	2614



ORDER CODE SAMPLE			
ITEM CODE	WIDTH	LAMINATE	OPTION
MTCI	58	H1	LMP

Features & Specifications


- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Default KBKW-B dual arm keyboard mechanism has a range of 9.5" above and 6.5" below worksurface with 15 degrees positive or negative tilt

No Charge Options

- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code

Optional Extra

- Specify *GL* (left), *GC* (center) and/or *GR* (right) for grommet; add \$76 per grommet
- Specify *LMP* for laminate modesty panel; add \$276
- Sliding keyboard with 5" of adjustment; add *KW(FOC)* to code and add \$418



SINGLE ARM KEYBOARD

ACTUAL SIZE			LAMINATE	
WIDTH	DEPTH	WEIGHT/CUBE	PRICE M1	PRICE H1
34"	29"	95/50	1957	2153
28"	29"	89/40	1914	2108



ORDER CODE SAMPLE			
ITEM CODE	WIDTH	LAMINATE	OPTION
MTCISA	34	H1	LMP

Features & Specifications

- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Default KBSS single arm keyboard mechanism has a range of 6" above and 6" below worksurface with 15 degrees positive or negative tilt

No Charge Options

- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code

Optional Extra

- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel; add \$276

PRODUCT MAP
TABLE OF CONTENTS
MESA ELECTRIC
VIVA ELECTRIC
VIVA MANUAL
VIVA INCREMENTAL
VIVA FIXED HEIGHT
SOHO
NOLITA
CONTROLLERS
www.brc.group

Viva

Fixed Height Tables

Standard Features:

- Fixed height base at 29" height overall with 1" worksurface (29.5" with 1.5" worksurface)
- LPL & HPL worksurfaces
- C Base with two and three leg configurations
- Foot provides 1" of levelling

Optional Features:

- Available with casters
- Left, right and center grommets

Basic Dimensions:

C-LEG

- Column: 2.0" x 4.0" [51mm x 102mm]
- Foot: 2.88" x 24" [73.2mm x 609.6mm]
- Foot height: 1.375" [34.9mm]

Finishes:

BASE

- Powdercoat silver, black & white


WORKSURFACE


- 1" & 1.5" LPL & HPL in all standard BRC laminates

General Product Overview:

Table bases are metal and have a durable scratch resistant, heat cured powder coat paint finish. Table surfaces are supported by a 3/4" x 1 1/2" steel frame designed for strength and ease of connections. Metal uprights are of 14 gauge tubing 2" thick by 4" wide. On all tables, inserts are of 14 gauge tubing and incorporate Teflon-like slides for smooth operation and low maintenance. All table bases have a 1" x 3" horizontal modesty bar of 16 gauge steel attached to each leg to assure strength and stability throughout the entire range of motion. Low profile foot is constructed of drawn steel, with waterfall front and back edges. The interior of the foot is double walled with 11 gauge steel supports. These feet have easy to access levelers for ease of installation and balancing.

ANSI Bifma and CGSB (Canadian General Standards Board) tested and qualified. This ensures that BRC products adhere to the highest standards of quality and durability in North America.





ACTUAL SIZE			LAMINATE	
WIDTH	DEPTH	WEIGHT/CUBE	PRICE M1	PRICE H1
94"	35"	140/75	2108	2532
82"	29"	120/72	1784	2036
76"	29"	110/72	1657	1866
70"	29"	110/72	1496	1672
64"	29"	110/60	1447	1608
58"	29"	110/60	1389	1558
52"	29"	105/48	1389	1558
46"	29"	105/48	1300	1420
40"	29"	95/48	1148	1268
34"	29"	85/36	1117	1229
28"	29"	75/30	1075	1187
82"	23"	120/76	1681	2010
76"	23"	115/72	1681	1849
70"	23"	115/72	1415	1576
64"	23"	105/60	1319	1454
58"	23"	100/48	1260	1389
52"	23"	90/48	1260	1389
46"	23"	90/48	1213	1324
40"	23"	80/36	1061	1172
34"	23"	70/30	1026	1131
28"	23"	70/30	993	1091
22"	23"	70/30	993	1091




ORDER CODE SAMPLE					
ITEM CODE	WIDTH	DEPTH	LAMINATE	SCULPTURE	OPTION
MWCF	70	23	M1	SD	LMP BF

Features & Specifications


No Charge Options

Optional Extra


- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Specify sculpture - 'SN' - none, 'SR' - right, 'SL' - left, or 'SD' - double
- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code
- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel; add \$276
- 6" Bow fronts for tables 58" and larger available; add BF to code and \$213



A1
STRAIGHT FRONT
CURVE BACK



A2
CURVE FRONT
CURVE BACK



B1
STRAIGHT FRONT
STRAIGHT BACK

ACTUAL SIZE				LAMINATE	
WIDTH	DEPTH	USER WIDTH	WEIGHT/ CUBE	PRICE M1	PRICE H1
46"	29"	25"	105/60	1784	1841
40"	29"	17"	105/60	1623	1776
46"	23"	34"	105/60	1784	1841
40"	23"	25"	100/60	1623	1776
34"	23"	17"	90/54	1100	1229
28"	23"	9"	90/54	1100	1229



ORDER CODE SAMPLE					
ITEM CODE	WIDTH	DEPTH	LAMINATE	STYLE	OPTION
MTKCF	46	29	H1	A1	LMP

Features & Specifications

- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL (top only)
- Specify worksurface style: 'A1', 'A2' or 'B1'

No Charge Options

- Available in all standard laminates
- Available in standard metal paint finishes
- For sizes not listed, specify actual (not nominal) size in product code

Optional Extra

- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- Specify LMP for laminate modesty panel; add \$276

SoHo

Executive Electric Height Adjustability with Storage

Standard Features:

- Raised dual one box, one file (BF) locking pedestals
- Anti collision piezoelectric sensor stops movement when obstruction is encountered
- Dual motors use 0.1W standby and are whisper quiet at 55db when in use. 125" Cord length
- LPL & HPL worksurfaces
- Floating half modesty panel
- Height range from 27" to 50"
- 300lb lift capacity with 1.5" per second travel
- Premium handset (DPG1C) included
- Bluetooth with Desk Control App

Optional Features:

- Left, right and center grommets
- Rechargeable Battery

Basic Dimensions:

BOX FILE PEDESTAL

- 4" high post feet with 1" leveling
- 15.5" wide x 23.375" high x variable depths

Finishes:

COLUMN & POST FEET

- Powdercoat silver, black & white


WORKSURFACE




- 1" LPL & HPL in all standard BRC laminates
- 1.25" HPL knife edge

General Product Overview:

Table base frames are metal and have a durable scratch resistant, heat cured powder coat paint finish. Table surfaces are supported by a 3/4" x 1 1/2" steel frame designed for strength and ease of connections. Metal uprights are of 14 gauge tubing 2" thick by 4" wide. On all tables, inserts are of 14 gauge tubing and incorporate Teflon-like slides for smooth operation and low maintenance. One box, one file pedestals are locking and raised on 4" post feet with 1" leveling capability. All standard BRC laminates, handles and metal colours are available. Worksurface width and depth are overall dimensions; pedestals do not protrude past this.

ANSI Bifma and CGSB (Canadian General Standards Board) tested and qualified. This ensures that BRC products adhere to the highest standards of quality and durability in North America.





ACTUAL SIZE		LAMINATE		
WIDTH	DEPTH	PRICE M1	PRICE H1	PRICE K1
84"	36"	5472	5994	7313
78"	36"	5348	5825	7076
72"	36"	5193	5633	6817
66"	36"	5149	5567	6689
60"	36"	5095	5517	6572
84"	30"	5192	5703	6953
78"	30"	5069	5532	6719
72"	30"	4915	5339	6459
66"	30"	4871	5275	6328
60"	30"	4817	5226	6212

Features & Specifications

No Charge Options

Optional Extra



ORDER CODE SAMPLE				
ITEM CODE	WIDTH	DEPTH	LAMINATE	OPTION
SOHO	72	30	H1	HP

- Leg provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL, K1: 1" HPL knife edge (top only)
- Includes floating laminate modesty panel
- Dual box file pedestals are keyed alike by default
- Available in all standard laminates
- Frame available in standard metal paint finishes
- Specify GL (left), GC (center) and/or GR (right) for grommet; add \$76 per grommet
- For HPL drawer fronts add option code HP; add \$326

NoLita

Dynamic Electric Height Adjustability

Standard Features:

- LPL & HPL Worksurfaces available with overall height adjustability from 25.75" to 46.25"
- Anti collision sensor stops movement when obstruction is encountered
- 0.75" Gap between worksurfaces to allow for pinch clearance
- Dual motors use 0.1W standby and are whisper quiet at 55db when in use
- LPL, HPL and knife edge worksurfaces
- Concealed frosted acrylic modesty panel
- 250lb lift capacity
- Premium handset (DPG1C) included
- Bluetooth with Desk Control App

Optional Features:

- Rechargeable Battery for cordless operation
- Left, right and center grommets

Finishes:

LIFTING COLUMN, TRIM & FRAME



- Powdercoat silver, black or white

WORKSURFACE & FASCIA COVER BASE

- 1" LPL & HPL in all standard BRC laminates
- 1.25" HPL knife edge on three sides; flat edge on back side





Trim:

- Optional knife edge trimdoes not cover entire perimeter; see graphic below for details



General Product Overview:

Lower cover fascia is made from LP laminate available in all BRC standard finishes. Lower cover fascia end and top trim caps are metal and painted to match the lifting columns. Table base internal frames are metal and have a durable scratch resistant, heat cured powder coat paint finish. Table surfaces are supported by a 1 1/4" tubular steel frame designed for strength and ease of connections. One or both surfaces are available to be height adjustable. The concealed modesty panel is available as standard on one surface only. Due to the nature of this product, extended lead times may apply. Please contact orders@brc.group for details before ordering.



Features & Specifications

No Charge Options

Optional Extra

OVERALL SIZE		LAMINATE		
WIDTH	DEPTH	PRICE M1	PRICE H1	PRICE K1
72"	81"	15314	15911	17427
66"	81"	15110	15663	17173
63"	81"	15084	15636	17148
72"	78"	15057	15610	17120
66"	78"	15013	15566	17093
63"	78"	14985	15540	17059
72"	72"	14891	15443	17025
66"	72"	14611	15102	16733
63"	72"	14572	14924	16332

Product Description:


- Dual surface means both worksurfaces are independently height adjustable.
- Two handset controllers are provided for the dual surface NoLita. Note, one controller cannot be used to control both surfaces at the same time.
- Worksurface is tapered as shown.

DIMENSION CHART						
WIDTH	DEPTH	D1	D2	D3	D4	D5
72"	81"	26"	28"	32"	30"	48.25"
66"	81"	26"	28"	32"	30"	48.25"
63"	81"	26"	28"	32"	30"	48.25"
72"	78"	26"	28"	32"	30"	45.25"
66"	78"	26"	28"	32"	30"	45.25"
63"	78"	26"	28"	32"	30"	45.25"
72"	72"	26"	28"	32"	30"	39.25"
66"	72"	26"	28"	32"	30"	39.25"
63"	72"	26"	28"	32"	30"	39.25"




ORDER CODE SAMPLE						
ITEM CODE	WIDTH	DEPTH	LAMINATE	HAND	GROMMET	BASE
NLTADT	72	78	K1	ML	S1GC	HPB



- Base provides 1" of leveling
 - Laminate codes - M1: 1" LPL, H1: 1" HPL, K1: 1" HPL knife edge (top only)
 - Both surfaces provide separate height adjustability
 - Includes frosted acrylic concealed modesty panel on right hand (S1) worksurface only
 - Controller placement can be determined on site
-
- Available in all standard laminates
 - Frame available in standard metal paint finishes
-
- For grommets, specify surface first (S1 or S2) and then GL (left), GC (center) and/or GR (right); add \$76 per grommet
 - Base cover available in HPL (LPL by default). Add \$1,811 & code HPB



ML
MAIN LEFT



MR
MAIN RIGHT



Features & Specifications

No Charge Options

Optional Extra

OVERALL SIZE		LAMINATE		
WIDTH	DEPTH	PRICE M1	PRICE H1	PRICE K1
72"	81"	15314	15911	17427
66"	81"	15110	15663	17173
63"	81"	15084	15636	17148
72"	78"	15057	15610	17120
66"	78"	15013	15566	17093
63"	78"	14985	15540	17059
72"	72"	14891	15443	17025
66"	72"	14611	15102	16733
63"	72"	14572	14924	16332

Product Description:

- Dual surface means both worksurfaces are independantly height adjustable.
- Two handset controllers are provided for the dual surface NoLita. Note, one controller cannot be used to control both surfaces at the same time.
- Worksurface is rectangular as shown.

DIMENSION CHART				
WIDTH	DEPTH	D1	D2	D3
72"	81"	28"	32"	48.5"
66"	81"	28"	32"	48.5"
63"	81"	28"	32"	48.5"
72"	78"	28"	32"	45.5"
66"	78"	28"	32"	45.5"
63"	78"	28"	32"	45.5"
72"	72"	28"	32"	39.5"
66"	72"	28"	32"	39.5"
63"	72"	28"	32"	39.5"






ORDER CODE SAMPLE						
ITEM CODE	WIDTH	DEPTH	LAMINATE	HAND	GROMMET	BASE
NLTADR	72	78	K1	ML	S1GC	HPB

- Base provides 1" of leveling
- Laminate codes - M1: 1" LPL, H1: 1" HPL, K1: 1" HPL knife edge (top only)
- Both surfaces provide separate height adjustability
- Includes frosted acrylic concealed modesty panel on right hand (S1) worksurface only
- Controller placement can be determined on site

- Available in all standard laminates
- Frame available in standard metal paint finishes

- For grommets, specify surface first (S1 or S2) and then GL (left), GC (center) and/or GR (right); add \$76 per grommet
- Base cover available in HPL (LPL by default). Add \$1,811 & code HPB

**BASIC CONTROLLER****CONTROLLER WITH
BLUETOOTH****CONTROLLER WITH
BLUETOOTH AND
DIGITAL DISPLAY****DPG1K**

FEATURES & SPECIFICATIONS	PRICE
• Standard on all viva electric height adjustable tables (not available for Mesa) • Lift up to raise, push down to lower	80

DPG1B

FEATURES & SPECIFICATIONS	PRICE
• Lift up to raise, push down to lower • 2 Memory positions • LED light strip reminder • Bluetooth via desk control app • Optional on all Viva electric height adjustable tables (not available for Mesa) • Replaces standard controller DPG1K	195

DPG1C

FEATURES & SPECIFICATIONS	PRICE
• Lift up to raise, push down to lower • 4 Memory positions • LED light strip reminder • Digital height display in metric or imperial units • Bluetooth via desk control app • Standard on all SoHo and NoLita electric height adjustable tables, optional on all Viva tables (not available for Mesa) • Replaces standard controller DPG1K	297



ORDER CODE SAMPLE	
ITEM CODE	CONTROLLER
MWEE7123M1NS	DPG1B


Product Notes

All Viva electric tables ship standard with controller DPG1K. SoHo and NoLita electric tables ship standard with DPG1C. To specify an optional controller, add the model number (eg: DPG1B) to the end of the Viva product code.

These controllers are not available for Mesa electric tables.

Contact BRC for a link to download the desk control app for iOS and Android.

Battery Option





RECHARGEABLE BATTERY
FOR VIVA, SOHO & NOLITA

BA001	
FEATURES & SPECIFICATIONS	PRICE
• For use with Viva, SoHo and NoLita product only; not for use with Mesa • High performance 2.2 Ah lithium-ion battery • Typically achieves 50-100 full stroke up and down cycles • Features LED light bar indicating capacity • Audible alarm when charging is required • Can be charged with existing table power cord or included external charging cable • Colour: black only • Includes mounting bracket, connecting cable & external charging cable	1486



ORDER CODE SAMPLE
ITEM CODE
BA001

PRODUCT MAP
TABLE OF CONTENTS
MESA ELECTRIC
VIVA ELECTRIC
VIVA MANUAL
VIVA INCREMENTAL
VIVA FIXED HEIGHT
SOHO
NOLITA
CONTROLLERS
 www.brc.group



MJCMA	
FEATURES & SPECIFICATIONS	PRICE
• Kit includes set of 4 locking casters • Black steel body with hard rubber black wheel • For retrofit on Mesa 2 leg T and C base height adjustable tables • For installtion, remove existing levelers and replace each with locking caster	243 / Set of 4

▽


ORDER CODE SAMPLE
ITEM CODE
MJCMA




MJCMA	
FEATURES & SPECIFICATIONS	PRICE
• Kit includes set of 4 locking casters • For retrofit on Mesa 2 leg T and C base height adjustable tables • For installtion, remove existing levelers and replace each with locking caster	243 / Set of 4



ORDER CODE SAMPLE
ITEM CODE
MJCDA




QTY 4



MJCVA	
FEATURES & SPECIFICATIONS	PRICE
• Kit includes set of 4 locking casters • Black steel body with hard rubber black wheel • For retrofit on all Viva 2 leg height adjustable tables • For installtion, remove existing levelers and replace each with locking caster	243 / Set of 4



ORDER CODE SAMPLE
ITEM CODE
MJCVA



SWIVEL SKATE CASTER




SWIVEL SKATE CASTER WITH BRAKE



PLATE SKATE CASTER



PLATE SKATE CASTER WITH BRAKE



SKATE CASTER REPLACEMENT KIT

ASKCN	
FEATURES & SPECIFICATIONS	PRICE
• Caster 2" Dia 3/8-16 x 1" Swivel ICE No Brake • Use with Viva 2 Leg height adjustable tables • 2" Dia Caster no brake • Clear caster	61 each

ASKCB	
FEATURES & SPECIFICATIONS	PRICE
• Caster 2" Dia 3/8-16 x 1" Swivel ICE With Brake • Use with Viva 2 Leg height adjustable tables • 2" Dia Caster with brake • Clear caster	61 each

ASKPN	
FEATURES & SPECIFICATIONS	PRICE
• Caster 2" Dia Swivel ICE A17D Plate No brake • Plate Caster No Brake • 2" Dia Caster overall height 2-5/8" • Clear caster	61 each

ASKCN	
FEATURES & SPECIFICATIONS	PRICE
• Caster 2" Dia Swivel ICE A17D Plate With brake • Plate Caster With Brake • 2" Dia Caster overall height 2-5/8" • Clear caster	61 each

ASKKA	
FEATURES & SPECIFICATIONS	PRICE
• Intended for replacement of brc mobile ped casters • Includes 2 locking, 2 non locking and 1 thread stem • Clear caster	182 per kit


ORDER CODE SAMPLE
ITEM CODE
ASKKA

Height Adjustable Table Support Brackets

Height adjustable tables present unique challenges when mounting to adjacent furniture. BRC's table support brackets allow direct connection to Gallery Panels, tall storage, credenzas and other items while allowing full height adjustable functionality. These brackets have been designed specifically for our Mesa T leg and C leg bases but may be applicable to non-BRC product. Contact a BRC representative for full details.

T Leg Rear Mount Bracket


Product Code: MABRA



For use on Mesa T leg tables 24" and 30" deep. Connection to rear panel or similar is permanent by way of screws or bolts. Connection to T leg is a clamping mechanism that does not damage or alter the base.

C Leg Rear Mount Bracket


Product Code: MABCA




For use on Mesa C leg tables 24" and 30" deep. Connection to rear panel or similar is permanent by way of screws or bolts. Connection to T leg is a clamping mechanism that does not damage or alter the base.

C Leg or T Leg Side Mount Bracket

Product Code: MABSA



For use on Mesa C leg or T leg tables 24" and 30" deep. Connection to side panel or similar is permanent by way of screws or bolts. Connection to T leg is a clamping mechanism that does not damage or alter the base.



Features & Specifications

MABRA	
FEATURES & SPECIFICATIONS	PRICE
• For application to the rear of a height adjustable T leg table • Works with BRC Mesa Table	228

MABCA	
FEATURES & SPECIFICATIONS	PRICE
• For application to the rear of a height adjustable C leg table • Works with BRC Mesa Table	228

MABSA	
FEATURES & SPECIFICATIONS	PRICE
• For application to the side of a height adjustable table • Works with BRC Mesa T leg and C leg tables	160




ORDER CODE SAMPLE
ITEM CODE
MABRA

- Available in all standard metal finishes
- Includes all hardware to attach to Mesa height adjustable base
- May be compatible with other height adjustable base tables; contact BRC customer service for further details

HAT Accessories


Electrics and Power Modules




Under Desk Storage



Grommets




CPU Holders




Keyboard Combos




Keyboard Platforms



Keyboard Mechanisms, Corner and Spacers




Monitor Arms




PRODUCT MAP
TABLE OF CONTENTS
MESA ELECTRIC
VIVA ELECTRIC
VIVA MANUAL
VIVA INCREMENTAL
VIVA FIXED HEIGHT
SOHO
NOLITA
CONTROLLERS
www.brc.group


Single Power, Dual USB



UNO CLAMP ON



UNO UNDERMOUNT



UNO FLUSH MOUNT

BODY
TRIM

AC1AE	
FEATURES & SPECIFICATIONS	PRICE
• Single outlet • Two USB ports • 72" Black corded plug • Finish options: - Trim: black, silver or white - Body: white, grey, black, orange, red, green, blue	573


AU1AE	
FEATURES & SPECIFICATIONS	PRICE
• Single outlet • Two USB ports • 72" Black corded plug • Finish options: - Trim: black, silver or white - Body: white, grey, black, orange, red, green, blue	541

AF1AE	
FEATURES & SPECIFICATIONS	PRICE
• Single outlet • Two USB ports • 72" Black corded plug • Finish options: - Trim: black, silver or white - Body: white, grey, black, orange, red, green, blue	574




ORDER CODE SAMPLE		
ITEM CODE	TRIM FINISH	BODY FINISH
AU1AE	SILVER	WHITE


Dual Power, Dual USB




210 CLAMP ON



210 UNDERMOUNT



DUO FLUSH MOUNT



TILT FLUSH MOUNT

BODY
TRIM

AC2AE	
FEATURES & SPECIFICATIONS	PRICE
• Double outlet • Two USB ports • 72" Corded plug • Finish options: Trim: black, silver or white Body: white, grey, black, orange, red, green, blue	623


AU2AE	
FEATURES & SPECIFICATIONS	PRICE
• Double outlet • Two USB ports • 72" Corded plug; optional 10' cord available • Finish options: Trim: black, silver or white Body: white, grey, black, orange, red, green, blue	573

AF2AE	
FEATURES & SPECIFICATIONS	PRICE
• Double outlet • Two USB ports • 72" Corded plug • Finish options: Trim: black, silver or white Body: white, grey, black, orange, red, green, blue	583


AT2FE	
FEATURES & SPECIFICATIONS	PRICE
• Double outlet • Two USB ports • 72" Corded plug • Finish options: Trim: black, silver or white Body: white, grey, black, orange, red, green, blue	996

ORDER CODE SAMPLE		
ITEM CODE	TRIM	BODY
AF2AE	BLACK	GREY


Three Power, Dual USB



TRIO CLAMP ON



TRIO UNDERMOUNT



TRIO FLUSH MOUNT

BODY
TRIM

AC3AE	
FEATURES & SPECIFICATIONS	PRICE
• Triple outlet • Two USB ports • 72" Corded plug • Finish options: Trim: black, silver or white Body: white, grey, black, orange, red, green, blue	709


AU3AE	
FEATURES & SPECIFICATIONS	PRICE
• Triple outlet • Two USB ports • 72" Corded plug • Finish options: Trim: black, silver or white Body: white, grey, black, orange, red, green, blue	637

AF3AE	
FEATURES & SPECIFICATIONS	PRICE
• Triple outlet • Two USB ports • 72" Corded plug • Finish options: Trim: black, silver or white Body: white, grey, black, orange, red, green, blue	688



ORDER CODE SAMPLE		
ITEM CODE	TRIM FINISH	BODY FINISH
AF3AE	SILVER	WHITE

Top Mount Tilting




SINGLE OUTLET, 2 USB

AT1FE	
FEATURES & SPECIFICATIONS	PRICE
• Single outlet • 2 USB charging ports with separate power adapter • Push button tilting mechanism • 96" black power cable • Finish options: silver only	520




ORDER CODE SAMPLE
ITEM CODE
AT1FE

Surface Mount Power & Dual USB



COVE SURFACE MOUNT
SINGLE



COVE SURFACE MOUNT
DUAL

AF1BE	FINISH	
	PRICE (BLACK, SILVER, WHITE)	PRICE (ANODIZED ALUMINUM)
FEATURES & SPECIFICATIONS		
• Single outlet • Dual USB charging outlets • 108" Black corded plug • Finish options: black, silver, white or clear brushed aluminum	867	988


AF2BE	FINISH	
	PRICE (BLACK, SILVER, WHITE)	PRICE (ANODIZED ALUMINUM)
FEATURES & SPECIFICATIONS		
• Dual outlet • Dual USB charging outlets • 108" Black corded plug • Finish options: black, silver, white or clear brushed aluminum	1,135	1,261




ORDER CODE SAMPLE	
ITEM CODE	FINISH
AF1BE	SILVER

Pop-Up Wireless Charger with 2 USB

AF0WE



CLOSED - FLUSH



OPEN - USB ACCESS


WIRELESS CHARGING

AF0WE	
FEATURES & SPECIFICATIONS	PRICE
• Flush mount • Pop up design allows simultaneous wireless and access to three USB charging ports • Three inch hole required for mounting • Qi compatible • Will charge through surface up to 1/8" • Finish options: black only	380



ORDER CODE SAMPLE
ITEM CODE
AF0WE

PRODUCT MAP
TABLE OF CONTENTS
MESA ELECTRIC
VIVA ELECTRIC
VIVA MANUAL
VIVA INCREMENTAL
VIVA FIXED HEIGHT
SOHO
NOLITA
CONTROLLERS
www.brc.group



RETRACTABLE POWER
STATION


AP2FE	
FEATURES & SPECIFICATIONS	PRICE
• Three inch hole required for mounting • Two AC receptacles, 120v/ 60hz • Two USB 2.1A charging ports • Requires 12" (305mm) space under work surface • Pull up design • 6Ft grounded power cord • Finish options: black only	399



ORDER CODE SAMPLE
ITEM CODE
AP2FE

Clamp On Power Module

AC2BE




AC2BE	
FEATURES & SPECIFICATIONS	PRICE
• Desk mount clamp • Two AC receptacles, 120v/ 60hz • Two USB 3.1A charging ports • 10ft Grounded power cord • Finish options: white only body & frame • 6.25" long x 2.5" high	300




ORDER CODE SAMPLE
ITEM CODE
AC2BE


Under Desk Storage



3 COMPARTMENT PENCIL DRAWER



LARGE CIRCULAR DRAWER



SMALL CIRCULAR DRAWER

AP12A	
FEATURES & SPECIFICATIONS	PRICE
• Slide out design • Integral plastic slides mount easily under worksurface • Textured plastic • Finish options: black • Width: 15 1/4" • Installed depth: 15 1/4" • Extended depth: 26"	147


AP13A	
FEATURES & SPECIFICATIONS	PRICE
• Circular swivel design • Under work surface application • 13 19/32" Long, 1 1/4" high, 7 13/32" deep • Plastic • Finish options: matte black, metallic silver	204

AP14A	
FEATURES & SPECIFICATIONS	PRICE
• Circular swivel design • Under work surface application • 9" Long, 1" high, 7 13/32" deep • Plastic • Finish options: matte black, metallic silver	211



ORDER CODE SAMPLE	
ITEM CODE	FINISH
AP14A	BLACK

Grommets



3" GROMMET



2.5" GROMMET



1.75" GROMMET

AG30A		
FEATURES & SPECIFICATIONS	PRICE GROMMET ONLY	PRICE INSTALLED
• Round grommet with removable cover • Fits 80mm hole • Finish: black or white	34	76


AG25A		
FEATURES & SPECIFICATIONS	PRICE GROMMET ONLY	PRICE INSTALLED
• Round grommet with removable cover • Fits 60mm hole • Finish: black only	33	75

AG17A		
FEATURES & SPECIFICATIONS	PRICE GROMMET ONLY	PRICE INSTALLED
• Round grommet with removable cover • Fits 45mm hole • Finish: black only	32	74




ORDER CODE SAMPLE	
ITEM CODE	OPTION
AG25A	BLACK


CPU Holders




MINI FIXED MOUNT



MINI SLIDE AND SWIVEL



FULL SIZE FIXED MOUNT



FULL SIZE SLIDE & SWIVEL

ORDER CODE		ACCOMMODATES CPU SIZE	
MODEL	HEIGHT RANGE	WIDTH RANGE	PRICE
ACP1A	7.9" - 14"	2" - 4"	221
FEATURES & SPECIFICATIONS			
• Finished in black textured powdercoat • Plastic side clamp with bumpers • Side mountable • Fixed unit; does not swivel or retract • Depth: 4.5" • Weight: 8.0 lbs • capacity: 22 lbs			

ORDER CODE		ACCOMMODATES CPU SIZE	
MODEL	HEIGHT RANGE	WIDTH RANGE	PRICE
ACP2A	3.9" - 14"	2" - 4"	314
FEATURES & SPECIFICATIONS			
• Finished in black textured powdercoat • Plastic side clamp with bumpers • Side mountable • Depth: 4.5" • Weight: 8.0 lbs • capacity: 22 lbs			


ORDER CODE		ACCOMMODATES CPU SIZE	
MODEL	HEIGHT RANGE	WIDTH RANGE	PRICE
ACP3A	14.5" - 22.5"	3.5" - 9.3"	476
FEATURES & SPECIFICATIONS			
• Finished in black textured powdercoat • Plastic side clamp with bumpers • Side mountable • Fixed unit; does not swivel or retract • Weight: 8.0 lbs • capacity: 50 lbs			

ORDER CODE		ACCOMMODATES CPU SIZE	
MODEL	HEIGHT RANGE	WIDTH RANGE	PRICE
ACP4A	14.5" - 22.5"	3.5" - 9.3"	712
FEATURES & SPECIFICATIONS			
• Finished in black textured powdercoat • Plastic side clamp with bumpers • Ball bearing track slide is 17" deep • 360° Swivel • Side mountable • Weight: 12.4 lbs • Capacity: 50 lbs			


▽

ORDER CODE SAMPLE
ITEM CODE
ACP4A

Monitor Arms



SINGLE MONITOR ARM



DUAL MONITOR ARM


ORDER CODE		SIZE	
MODEL		HEIGHT RANGE	PRICE
AMA1A		12.4"	585
FEATURES & SPECIFICATIONS			
• Finished in silver powdercoat • 20lbs load capacity • Desk clamp and grommet mount hardware included • Integrated cable management • Vesa mount accommodates 75mm and 100mm hole patterns • Included allen wrench adjustment			

ORDER CODE		SIZE	
MODEL		HEIGHT RANGE	PRICE
AMA2A		12.4"	1,016
FEATURES & SPECIFICATIONS			
• Finished in silver powdercoat • 20lbs load capacity per screen • Desk clamp and grommet mount hardware included • Integrated cable management • Vesa mount accommodates 75mm and 100mm hole patterns • Maximum 35" screen width • Included allen wrench adjustment			




ORDER CODE SAMPLE	
ITEM CODE	FINISH
AMA2A	SILVER


Keyboard Combos




KBTW27 / KBWS-L17




KBT(MS)RM / KBSS




KBT(90)BRM / KBKS-21



KBC-12 / KBWS-L22



KBT-DC17 / KBWS-L22



KBTW27 / KBSS

AK04A

FEATURES & SPECIFICATIONS

- Standard 27" wide rectangular tray.
- Keyboard and mouse tray with vinyl wrist rest
- Finish: black only

PRICE

995

AK06A

FEATURES & SPECIFICATIONS

- Composite tray, reversible mouse tray, wrist rest & wire guide
- KBSS mechanism extends above and below desk
- Finish: black only

PRICE

1,488

AK09A

FEATURES & SPECIFICATIONS

- Composite tray, reversible mouse tray, wrist rest & wire guide
- Finish: black only

PRICE

639

AK10A

FEATURES & SPECIFICATIONS

- Keyboard platform with wrist rest
- Rear surface radiused for 12" corners
- Finish: black only

PRICE

1,064

AK11A

FEATURES & SPECIFICATIONS

- Keyboard platform with wrist rest
- Rear surface has notched corners to fit 18" diagonal corner
- Finish: black only

PRICE

732

AK12A

FEATURES & SPECIFICATIONS

- 27" Wide rectangular laminate tray with vinyl wrist rest
- KBSS mechanism extends above and below desk
- Finish: black only

PRICE

907




ORDER CODE SAMPLE


ITEM CODE

AK10A


Keyboard Platforms



**RECTANGULAR PLATFORM
WITH WRIST REST**



**CURVED PLATFORM
WITH WRIST REST**



**RETRACTABLE KEYBOARD
TRAY**

ORDER CODE	SIZE	
MODEL	WIDTH	PRICE
AKBTA	20"	191
AKBTA	26"	254
AKBTA	27"	254
AKBTA	28"	254
AKBTA	30"	262
FEATURES & SPECIFICATIONS		
• Upholstered vinyl padded wrist rests available in black only • Laminate keyboard constructed of 0.75" LPL • Includes mounting inserts on underside • Laminate tray available in black only • Depth is 12"		


ORDER CODE	SIZE			LAMINATE	
MODEL	WIDTH	DEPTH	RADIUS	PRICE M1	PRICE H1
AKBCA	28"	16.5"	18"	201	249
AKBCA	30"	16"	24"	201	249
FEATURES & SPECIFICATIONS					
• Designed to fit all BRC curved corner with same radius • Includes mounting inserts on underside • Laminate tray available in black only • For straight front keyboard, add 'SF' to code • Laminate keyboard constructed of 1" LPL or 1" HPL					

ORDER CODE	SIZE	
MODEL	WIDTH	PRICE
AKBRA	21"	136
AKBRA	28"	136
FEATURES & SPECIFICATIONS		
• Retractable tray with lock out feature • Laminate keyboard constructed of 0.75" LPL • Fixed height clearance user defined during installation • Can be installed under minimum 20" deep worksurface • Laminate tray available in black only • Depth is 12"		




ORDER CODE SAMPLE	
ITEM CODE	SIZE
AKBRA	28"


Keyboard Mechanisms




**HEIGHT ADJUSTABLE
KEYBOARD MECHANISM**



**HEAVY DUTY KEYBOARD
MECHANISM**



**HEAVY DUTY KEYBOARD
MECHANISM 2**



**HEAVY DUTY PADDLE
ADJUSTABLE DOUBLE
ARM KEYBOARD TRAY**

ORDER CODE	SIZE	
MODEL	WEIGHT/CUBE	PRICE
AKM1A	8/1.0	473
FEATURES & SPECIFICATIONS		
• Non retractable & height adjustable for worksurfaces of all depths • 6" Height adjustment using lever lock actuator • Easy pull tab activates tray tilt feature • 15 Degrees positive or 10 degrees negative tray tilt		

ORDER CODE	SIZE		
MODEL	WEIGHT/CUBE	Size	PRICE
AKM2A	11/1.5	22	599
AKM2A	11/1.5	17	599
FEATURES & SPECIFICATIONS			
• Fully retractable low profile support mechanism • 24" Minimum worksurface depth required • 6" Height adjustment using lever lock actuator • Easy pull tab activates tray tilt feature • 15 Degrees positive or 10 degrees negative tray tilt • Steel ball bearing slide mechanism			

ORDER CODE	SIZE	
MODEL	WEIGHT/CUBE	PRICE
AKM3A	11/1.5	988
FEATURES & SPECIFICATIONS		
• Fully retractable low profile support mechanism • 24" Minimum worksurface depth required • 6" Height adjustment using lever lock actuator • Easy pull tab activates tray tilt feature • 15 Degrees positive or 10 degrees negative tray tilt • Steel ball bearing slide mechanism		

ORDER CODE	SIZE		
MODEL	WIDTH	DEPTH	PRICE
AKM4A	23"	20"	736
AKM4A	27"	20"	980
FEATURES & SPECIFICATIONS			
• Includes 0.75" LPL black tray			
OPTIONAL EXTRA			
• Matching laminate available; specify on order and add \$234			



ORDER CODE SAMPLE	
ITEM CODE	SIZE
AKM4A	23"

For more information contact: quotes@brc.group

24 Armstrong Ave
Georgetown, ON L7G 4R9
Phone: 905.873.8509
Toll Free: 1.877.260.4309
info@brc.group

